

References

- Abd El-Gelil, M. and Pagiatakis, S. (2009). Least squares self-coherence for sub-nGal signal detection in the superconducting gravimeter records. *JOURNAL OF GEODYNAMICS*, 48(3-5, SI):310–315. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Abd El-Gelil, M., Pagiatakis, S., and El-Rabbany, A. (2006). Pressure Admittance Function from Least Squares Product Spectrum of Surface Gravity and Pressure. *Bulletin d'Information des Marées Terrestres*, 142:11305–11314.
- Abd El-Gelil, M., Pagiatakis, S., and El-Rabbany, A. (2008). Frequency-dependent atmospheric pressure admittance of superconducting gravimeter records using least squares response method. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 170(1-2):24–33.
- Abd El-Gelil, M., Pagiatakis, S., and El-Rabbany, A. (2010). Normal mode detection and splitting after Sumatra-Andaman earthquake. *JOURNAL OF GEODYNAMICS*, 50(2):49–56.
- Abd El-Gelil, M., Pagiatakis, S., and El-Rabbany, A. (2012). On the Potential of Least Squares Response Method for the Calibration of Superconducting Gravimeters. *International Journal of Geophysics*, 2012:741729.
- Abe, M., Kroner, C., Foerste, C., Petrovic, S., Barthelmes, F., Weise, A., Guentner, A., Creutzfeldt, B., Jahr, T., Jentzsch, G., Wilmes, H., and Wziontek, H. (2012). A comparison of GRACE-derived temporal gravity variations with observations of six European superconducting gravimeters. *GEO-PHYSICAL JOURNAL INTERNATIONAL*, 191(2):545–556.
- Abe, M., Takemoto, S., Fukuda, Y., Higashi, T., Imanishi, Y., Iwano, S., Ogasawara, S., Kobayashi, Y., Dwipa, A., and Kusuma, D. S. (2006). Hydrological effects on the superconducting gravimeter observation in Bandung. *JOURNAL OF GEODYNAMICS*, 41(1-3):288–295. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Agnew, D. C. (2001). Map projections to show the possible effects of surface loading. *Journal of the Geodetic Society of Japan*, 47(1):255–260.
- Agnew, D. C. (2007a). Before pbo: an overview of continuous strain and tilt measurements in the united states. *J. Geod. Soc. Japan*, 53:157–182.
- Agnew, D. C. (2007b). Earth tides. In Herring, T. A., editor, *Treatise on Geophysics: Geodesy*, pages 163–195. Elsevier, New York.
- Agnew, D. C. (2012). Spotl: Some programs for ocean-tide loading. Sio technical report, Scripps Institution of Oceanography. <http://escholarship.org/uc/item/954322pg>.
- Agnew, D. C. (2017). An improbable observation of the diurnal core resonance. *Pure and Applied Geophysics*, pages 1–11.
- Agnew, D. C. and Wyatt, F. K. (2003). Long-base laser strainmeters: a review. Sio technical report, Scripps Institution of Oceanography. Available at http://escholarship.org/uc/sio_techreport.
- Albano, A., Corrado, G., Gervasi, A., and Guerra, I. (2015). Continuous gravity and tilt observations in an active geodynamic area of southern Italy: the Calabrian Arc system. *BOLLETTINO DI GEOFISICA TEORICA ED APPLICATA*, 56(1):1–18.

- Amalvict, A., Hinderer, J., and Rozsa, S. (2006). Crustal vertical motion along a profile crossing the Rhine graben from the Vosges to the Black Forest Mountains: Results from absolute gravity, GPS and levelling observations. *JOURNAL OF GEODYNAMICS*, 41(1-3):358–368. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Amalvict, M., Hinderer, J., Boy, J.-P., and Gegout, P. (2001). Three year comparison between a superconducting gravimeter (gwr c026) and an absolute gravimeter (fg5#206) in strasbourg (france). *Journal of the Geodetic Society of Japan*, 47(1):334–340.
- Amalvict, M., Hinderer, J., Boy, J.-P., Gegout, P., Llubes, M., and Florsch, N. (2002). Methodological investigation of the processing of absolute gravity data. In Sideris, M. G., editor, *GRAVITY GEOID AND GEODYNAMICS 2000*, volume 123 of *INTERNATIONAL ASSOCIATION OF GEODESY SYMPOSIA*, pages 179–183. Int Assoc Geodesy. IAG International Symposium on Gravity, Geoid and Geodynamics (GGG 2000), BANFF, CANADA, JUL 31-AUG 04, 2000.
- Amoruso, A., Botta, V., and Crescentini, L. (2012). Free Core Resonance parameters from strain data: sensitivity analysis and results from the Gran Sasso (Italy) extensometers. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 189(2):923–936.
- Andersen, O. B., Seneviratne, S. I., Hinderer, J., and Viterbo, P. (2005). GRACE-derived terrestrial water storage depletion associated with the 2003 European heat wave. *GEOPHYSICAL RESEARCH LETTERS*, 32(18).
- Aoyama, Y., Doi, K., Ikeda, H., Hayakawa, H., and Shibuya, K. (2016). Five years’ gravity observation with the superconducting gravimeter OSG#058 at Syowa Station, East Antarctica: gravitational effects of accumulated snow mass. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 205(2):1290–1304.
- Arnosó, J., Benavent, M., Bos, M., Montesinos, F., and Vieira, R. (2011). Verifying the body tide at the canary islands using tidal gravimetry observations. *Journal of Geodynamics*, 51(5):358–365.
- Arnosó, J., Benavent, M., Ducarme, B., and Montesinos, F. (2006). A new ocean tide loading model in the canary islands region. *Journal of Geodynamics*, 41(1-3):100–111.
- Arnosó, J., Fernández, J., and Vieira, R. (2001). Interpretation of tidal gravity anomalies in lanzarote, canary islands. *Journal of Geodynamics*, 31(4):341–354.
- Arnosó, J., Riccardi, U., Hinderer, J., Córdoba, B., and Montesinos, F. G. (2014). Analysis of co-located measurements made with a LaCoste & Romberg Graviton-EG gravimeter and two superconducting gravimeters at Strasbourg (France) and Yebes (Spain). *ACTA GEODAETICA ET GEOPHYSICA*, 49(2):147–160.
- Arora, B. R., Kumar, A., Rawat, G., Kumar, N., and Choubey, V. M. (2008). First observations of free oscillations of the earth from Indian superconducting gravimeter in Himalaya. *CURRENT SCIENCE*, 95(11):1611–1617.
- Arora, B. R., Rawat, G., Kumar, N., and Choubey, V. M. (2012). Multi-Parameter Geophysical Observatory: gateway to integrated earthquake precursory research. *CURRENT SCIENCE*, 103(11):1286–1299.
- Baker, T. F. and Bos, M. S. (2003). Validating Earth and ocean tide models using tidal gravity measurements. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 152(2):468–485.

- Baldi, P., Campari, E. G., Casula, G., Focardi, S., Levi, G., and Palmonari, F. (2005). Gravitational constant G measured with a superconducting gravimeter. *PHYSICAL REVIEW D*, 71(2).
- Baldi, P., Campari, E. G., Casula, G., Focardi, S., and Palmonari, F. (2001). Testing Newton's inverse square law at intermediate scales. *PHYSICAL REVIEW D*, 64(8).
- Barrett, B., Carew, A., Beica, H. C., Vorozcovs, A., Pouliot, A., and Kumarakrishnan, A. (2016). Prospects for Precise Measurements with Echo Atom Interferometry. *ATOMS*, 4(3).
- Bauer-Gottwein, P., Christiansen, L., and Rosbjerg, D. (2011). Informing hydrological models with ground-based time-lapse relative gravimetry: potential and limitations. In Hafeez, M. and Van-DeGiesen, N. and Bardsley, E. and Seyler, F. and Pail, R. and Taniguchi, M., editor, *GRACE, REMOTE SENSING AND GROUND-BASED METHODS IN MULTI-SCALE HYDROLOGY*, volume 343 of *IAHS Publication*, pages 187–193. Int Commiss Water Resources Systems; Int Commiss Surface Water; Int Commiss Water Qual; Int Assoc Hydrol Sci; UNESCO-IHP. 25th General Assembly of the International Union of Geodesy and Geophysics, Melbourne, AUSTRALIA, JUN 28-JUL 07, 2011.
- Benavent, M., Arnosó, J., and Montesinos, F. (2009). Regional ocean tide loading modelling around the iberian peninsula. *Journal of Geodynamics*, 48(3-5):132–137.
- Berger, J., Davis, P., Widmer-Schmidrig, R., and Zumberge, M. (2014). Performance of an Optical Seismometer from 1 μ Hz to 10 Hz. *BULLETIN OF THE SEISMOLOGICAL SOCIETY OF AMERICA*, 104(5):2422–2429.
- Berrino, G., Corrado, G., and Riccardi, U. (2006). On the capability of recording gravity stations to detect signals coming from volcanic activity: The case of Vesuvius. *JOURNAL OF VOLCANOLOGY AND GEOTHERMAL RESEARCH*, 150(1-3):270–282.
- Boergens, E., Rangelova, E., Sideris, M. G., and Kusche, J. (2014). Assessment of the capabilities of the temporal and spatiotemporal ICA method for geophysical signal separation in GRACE data. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 119(5):4429–4447.
- Bogena, H. R., Huisman, J. A., Guentner, A., Huebner, C., Kusche, J., Jonard, F., Vey, S., and Vereecken, H. (2015). Emerging methods for noninvasive sensing of soil moisture dynamics from field to catchment scale: a review. *WILEY INTERDISCIPLINARY REVIEWS-WATER*, 2(6):635–647.
- Bogusz, J., Klos, A., and Kosek, W. (2013). Wavelet decomposition in the Earth's gravity field investigation. *ACTA GEODYNAMICA ET GEOMATERIALIA*, 10(1):47–59.
- Boy, J.-P., Gegout, P., and Hinderer, J. (2001). Gravity variations and global pressure loading. *Journal of the Geodetic Society of Japan*, 47(1):267–272.
- Boy, J.-P., Gegout, P., and Hinderer, J. (2002). Reduction of surface gravity data from global atmospheric pressure loading. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 149(2):534–545.
- Boy, J.-P. and Hinderer, J. (2006). Study of the seasonal gravity signal in superconducting gravimeter data. *JOURNAL OF GEODYNAMICS*, 41(1-3):227–233. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Boy, J.-P., Llubes, M., Hinderer, J., and Florsch, N. (2003). A comparison of tidal ocean loading models using superconducting gravimeter data. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 108(B4).

- Boy, J.-P., Llubes, M., Ray, R., Hinderer, J., and Florsch, N. (2006a). Validation of long-period oceanic tidal models with superconducting gravimeters. *JOURNAL OF GEODYNAMICS*, 41(1-3):112–118. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Boy, J.-P., Llubes, M., Ray, R., Hinderer, J., Florsch, N., Rosat, S., Lyard, F., and Letellier, T. (2004). Non-linear oceanic tides observed by superconducting gravimeters in Europe. *JOURNAL OF GEODYNAMICS*, 38(3-5):391–405.
- Boy, J.-P., Longuevergne, L., Boudin, F., Jacob, T., Lyard, F., Llubes, M., Florsch, N., and Esnault, M.-F. (2009). Modelling atmospheric and induced non-tidal oceanic loading contributions to surface gravity and tilt measurements. *JOURNAL OF GEODYNAMICS*, 48(3-5, SI):182–188. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Boy, J.-P. and Lyard, F. (2008). High-frequency non-tidal ocean loading effects on surface gravity measurements. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 175(1):35–45.
- Boy, J.-P., Ray, R., and Hinderer, J. (2006b). Diurnal atmospheric tide and induced gravity variations. *JOURNAL OF GEODYNAMICS*, 41(1-3):253–258. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Buffa, F. and Poma, A. (2000). On the Chandler periodicity (polar motion, LOD and climate). In Dick, S. and McCarthy, D. and Luzum, B., editor, *POLAR MOTION: HISTORICAL AND SCIENTIFIC PROBLEMS*, volume 208 of *Astronomical Society of the Pacific Conference Series*, pages 397–402. Minist Univ Ric Sci & Tecnol; Reg Autonoma Sardegna & Comune Monserrato. 178th IAU Colloquium on Polar Motion: Historical and Scientific Problems, STN ASTRON CAGLIARI CARLOFORTE, CAGLIARI, ITALY, SEP 27-30, 1999.
- Bursa, M., Groten, E., and Sima, Z. (2006). Coriolis' force in the earth's solid tidal dynamics. *STUDIA GEOPHYSICA ET GEODAETICA*, 50(2):181–188.
- Calvo, M., Hinderer, J., Rosat, S., Legros, H., Boy, J.-P., Ducarme, B., and Zuern, W. (2014a). Time stability of spring and superconducting gravimeters through the analysis of very long gravity records. *JOURNAL OF GEODYNAMICS*, 80(SI):20–33.
- Calvo, M., Hinderer, J., Rosat, S., Legros, H., Boy, J.-P., Ducarme, B., and Zuern, W. (2014b). Time stability of spring and superconducting gravimeters through the analysis of very long gravity records. *JOURNAL OF GEODYNAMICS*, 80(SI):20–33.
- Calvo, M., Rosat, S., Hinderer, J., Legros, H., Boy, J. P., and Riccardi, U. (2014c). Study of the Time Stability of Tides Using a Long Term (1973-2011) Gravity Record at Strasbourg, France. In Rizos, C. and Willis, P., editor, *EARTH ON THE EDGE: SCIENCE FOR A SUSTAINABLE PLANET*, volume 139 of *International Association of Geodesy Symposia*, pages 377–381. IAG; Int Union Geodesy & Geophysics; Int Assoc Geodesy. IAG 25th General Assembly of the International-Union-of-Geodesy-and-Geophysics (IUGG), Melbourne, AUSTRALIA, JUN 28-JUL 02, 2011.
- Calvo, M. and Hinderer, J. and Rosat, S. and Legros, H. and Boy, J.-P. and Ducarme, B. and Zuern, W. (2017). Corrigendum to Time stability of spring and superconducting gravimeters through the analysis of very long gravity record [J. Geodyn. 80, (2014) 2033]. *Journal of Geodynamics*, 106:30–32.
- Calvo, M. and Rosat, S. and Hinderer J. (2016). *Tidal Spectroscopy from a Long Record of Superconducting Gravimeters in Strasbourg (France)*, pages 1–6. Springer Berlin Heidelberg, Berlin, Heidelberg.

- Chauhan, V., Khandelwal, D. D., and Kumar, N. (2016). A comparative study of gravity and crustal deformation data through superconducting gravimeter and GPS observations in the North-West Himalayan region. *EPISODES*, 39(4):599–603.
- Chen, X., Ducarme, B., Sun, H.-P., and Xu, J. Q. (2008). Loading effect of a self-consistent equilibrium ocean pole tide on the gravimetric parameters of the gravity pole tides at superconducting gravimeter stations. *JOURNAL OF GEODYNAMICS*, 45(4-5):201–207.
- Chen, X., Kroner, C., Sun, H.-P., Abe, M., Zhou, J., Yan, H., and Wziontek, H. (2009). Determination of gravimetric parameters of the gravity pole tide using observations recorded with superconducting gravimeters. *JOURNAL OF GEODYNAMICS*, 48(3-5):348–353. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Chen, X., Sun, H.-P., Xu, H., Xu, J. Q., Hao, X., and Liu, M. (2013). Determination of the Calibration Factor of Superconducting Gravimeter 057 at the Lhasa Station: A frequency-Domain Approach. *TERRESTRIAL ATMOSPHERIC AND OCEANIC SCIENCES*, 24(4, 1, SI):629–636.
- Christiansen, L., Binning, P. J., Rosbjerg, D., Andersen, O. B., and Bauer-Gottwein, P. (2011a). Using time-lapse gravity for groundwater model calibration: An application to alluvial aquifer storage. *WATER RESOURCES RESEARCH*, 47.
- Christiansen, L., Lund, S., Andersen, O. B., Binning, P. J., Rosbjerg, D., and Bauer-Gottwein, P. (2011b). Measuring gravity change caused by water storage variations: Performance assessment under controlled conditions. *JOURNAL OF HYDROLOGY*, 402(1-2):60–70.
- Coughlin, M. and Harms, J. (2014). Constraining the gravitational wave energy density of the Universe using Earth’s ring. *PHYSICAL REVIEW D*, 90(4).
- Courtier, N., Ducarme, B., Goodkind, J., Hinderer, J., Imanishi, Y., Seama, N., Sun, H.-P., Merriam, J., Bengert, B., and Smylie, D. E. (2000). Global superconducting gravimeter observations and the search for the translational modes of the inner core. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 117(1-4):3–20. 6th Symposium of Study of the Earths Deep Interior (SEDI98), TOURS, FRANCE, JUL 05-10, 1998.
- Coyette, A. and Van Hoolst, T. (2014). Slichter modes of large icy satellites. *ICARUS*, 231:287–299.
- Coyette, A., Van Hoolst, T., and Dehant, V. (2012). Period of the Slichter mode of Mercury and its possible observation. *ASTRONOMY & ASTROPHYSICS*, 543.
- Creutzfeldt, B., Ferre, T., Troch, P., Merz, B., Wziontek, H., and Guentner, A. (2012). Total water storage dynamics in response to climate variability and extremes: Inference from long-term terrestrial gravity measurement. *JOURNAL OF GEOPHYSICAL RESEARCH-ATMOSPHERES*, 117.
- Creutzfeldt, B., Guentner, A., Kluegel, T., and Wziontek, H. (2008). Simulating the influence of water storage changes on the superconducting gravimeter of the Geodetic Observatory Wettzell, Germany. *GEOPHYSICS*, 73(6):WA95–WA104.
- Creutzfeldt, B., Guentner, A., Thoss, H., Merz, B., and Wziontek, H. (2010a). Measuring the effect of local water storage changes on in situ gravity observations: Case study of the Geodetic Observatory Wettzell, Germany. *WATER RESOURCES RESEARCH*, 46.
- Creutzfeldt, B., Guentner, A., Vorogushyn, S., and Merz, B. (2010b). The benefits of gravimeter observations for modelling water storage changes at the field scale. *HYDROLOGY AND EARTH SYSTEM SCIENCES*, 14(9):1715–1730.

- Creutzfeldt, B., Guentner, A., Wziontek, H., and Merz, B. (2010c). Reducing local hydrology from high-precision gravity measurements: a lysimeter-based approach. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 183(1):178–187.
- Creutzfeldt, B., Heinrich, I., and Merz, B. (2015). Total water storage dynamics derived from tree-ring records and terrestrial gravity observations. *JOURNAL OF HYDROLOGY*, 529(2, SI):640–649.
- Creutzfeldt, B., Troch, P. A., Guentner, A., Ferre, T. P. A., Graeff, T., and Merz, B. (2014). Storage-discharge relationships at different catchment scales based on local high-precision gravimetry. *HYDROLOGICAL PROCESSES*, 28(3):1465–1475.
- Crossley, D. (2004). Preface to the Global Geodynamics Project. *JOURNAL OF GEODYNAMICS*, 38(3-5):225–236.
- Crossley, D., de Linage, C., Hinderer, J., Boy, J.-P., and Famiglietti, J. (2012). A comparison of the gravity field over Central Europe from superconducting gravimeters, GRACE and global hydrological models, using EOF analysis. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 189(2):877–897.
- Crossley, D. and Hinderer, J. (2009a). A review of the GGP network and scientific challenges. *JOURNAL OF GEODYNAMICS*, 48(3-5, SI):299–304. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Crossley, D. and Hinderer, J. (2009b). Report of GGP Activities to Commission 3, Completing 10 Years for the Worldwide Network of Superconducting Gravimeters. In Sideris, M. G., editor, *OBSERVING OUR CHANGING EARTH*, volume 133 of *International Association of Geodesy Symposia*, pages 511+. Int Assoc Geodesy; Int Union Geodesy & Geophys. General Assembly of the International-Association-of-Geodesy/24th General Assembly of the International-Union-of-Geodesy-and-Geophysics, Perugia, ITALY, JUL 02-13, 2007.
- Crossley, D. and Hinderer, J. (2009c). The Contribution of GGP Superconducting Gravimeters to GGOS. In Sideris, M. G., editor, *OBSERVING OUR CHANGING EARTH*, volume 133 of *International Association of Geodesy Symposia*, pages 841+. Int Assoc Geodesy; Int Union Geodesy & Geophys. General Assembly of the International-Association-of-Geodesy/24th General Assembly of the International-Union-of-Geodesy-and-Geophysics, Perugia, ITALY, JUL 02-13, 2007.
- Crossley, D. and Hinderer, J. (2010). GGP (Global Geodynamics Project): An International Network of Superconducting Gravimeters to Study Time-Variable Gravity. In Mertikas, S. P., editor, *GRAVITY, GEOID AND EARTH OBSERVATION*, volume 135 of *International Association of Geodesy Symposia*, pages 627–635. Tech Univ Crete, Lab Geodesy & Geomat Engr; Int Assoc Geodesy; European Space Agcy; Tech Chamber Greece, Div W Crete; Hellen Natl Cedestre; Chania Chamber Commerce & Ind; Agro Land SA; Natl Aeronaut & Space Adm (NASA). IAG International Symposium on Gravity, Geoid and Earth Observation 2008, Khania, GREECE, JUN 23-27, 2008.
- Crossley, D., Hinderer, J., and Boy, J.-P. (2004). Regional gravity variations in Europe from superconducting gravimeters. *JOURNAL OF GEODYNAMICS*, 38(3-5):325–342.
- Crossley, D., Hinderer, J., and Boy, J.-P. (2005). Time variation of the European gravity field from superconducting gravimeterse. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 161(2):257–264.
- Crossley, D., Hinderer, J., and Riccardi, U. (2013). The measurement of surface gravity. *REPORTS ON PROGRESS IN PHYSICS*, 76(4).

- Crossley, D. J., Boy, J. P., Hinderer, J., Jahr, T., Weise, A., Wziontek, H., Abe, M., and Foerste, C. (2014). Comment on: ‘The quest for a consistent signal in ground and GRACE gravity time-series’, by M. Van Camp, O. de Viron, L. Metivier, B. Meurers and O. Francis. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 199(3):1811–1817.
- Cui, X., Sun, H.-P., Rosat, S., Xu, J. Q., Zhou, J., and Ducarme, B. (2014a). Investigation of the time variability of diurnal tides and resonant FCN period. *JOURNAL OF GEODYNAMICS*, 79:30–38.
- Cui, X., Sun, H.-P., Xu, J.-Q., Zhou, J.-C., and Zhou, H.-W. (2014b). Temporal variation of the period of free core nutation derived from VLBI and superconducting gravity data. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 57(2):384–391.
- Cui, X.-M., Sun, H.-P., Rosat, S., Xu, J.-Q., Zhou, J.-C., and Chen, X.-D. (2013). The application of Bayesian method in determination of free core nutation parameters. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 56(1):53–59.
- Cui, X.-M., Sun, H.-P., Xu, J. Q., and Zhou, J. C. (2012). Application of superconductive gravity technique on the constraints of core-mantle coupling parameters. *SCIENCE CHINA-EARTH SCIENCES*, 55(3):513–520.
- Custodio, S. I. S., Fonseca, J. F. B. D., d’Oreye, N. F., Faria, B. V. E., and Bandomo, Z. (2003). Tidal modulation of seismic noise and volcanic tremor. *Geophysical Research Letters*, 30(15). 1816.
- de Linage, C., Hinderer, J., and Boy, J.-P. (2009). Variability of the Gravity-to-Height Ratio Due to Surface Loads. *PURE AND APPLIED GEOPHYSICS*, 166(8-9):1217–1245. 2nd Workshop on Deformation and Gravity Change - Indicators of Isostasy, Tectonics, Volcanism and Climate Change, Lanzarote, SPAIN, MAR 27-30, 2007.
- Deville, S., Jacob, T., Chery, J., and Champollion, C. (2013). On the impact of topography and building mask on time varying gravity due to local hydrology. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 192(1):82–93.
- Ding, H. and Chao, B. F. (2015a). Detecting harmonic signals in a noisy time-series: the z-domain Autoregressive (AR-z) spectrum. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 201(3):1287–1296.
- Ding, H. and Chao, B. F. (2015b). The Slichter mode of the Earth: Revisit with optimal stacking and autoregressive methods on full superconducting gravimeter data set. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 120(10):7261–7272.
- Ding, H. and Chao, B. F. (2017). Solid pole tide in global GPS and superconducting gravimeter observations: Signal retrieval and inference for mantle anelasticity. *EARTH AND PLANETARY SCIENCE LETTERS*, 459:244–251.
- Ding, H. and Shen, W. (2015). Search for the 531-day-period wobble signal in the polar motion based on EEMD. *NONLINEAR PROCESSES IN GEOPHYSICS*, 22(4):473–484.
- Ding, H. and Shen, W.-B. (2013a). Comparative study of the MSE technique and SHS method used for detection of nS1 mode triplet. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 56(10):3313–3323.
- Ding, H. and Shen, W.-B. (2013b). Determination of the complex frequencies for the normal modes below 1mHz after the 2010 Maule and 2011 Tohoku earthquakes. *ANNALS OF GEOPHYSICS*, 56(5).

- Ding, H. and Shen, W.-B. (2013c). Search for the Slichter modes based on a new method: Optimal sequence estimation. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 118(9):5018–5029.
- Doi, K., Shibuya, K., Aoyama, Y., Ikeda, H., and Fukuda, Y. (2010). Observed Gravity Change at Syowa Station Induced by Antarctic Ice Sheet Mass Change. In Mertikas, S. P., editor, *GRAVITY, GEOID AND EARTH OBSERVATION*, volume 135 of *International Association of Geodesy Symposia*, pages 557–562. Tech Univ Crete, Lab Geodesy & Geomat Engn; Int Assoc Geodesy; European Space Agcy; Tech Chamber Greece, Div W Crete; Hellen Natl Cedestre; Chania Chamber Commerce & Ind; Agro Land SA; Natl Aeronaut & Space Adm (NASA). IAG International Symposium on Gravity, Geoid and Earth Observation 2008, Khania, GREECE, JUN 23-27, 2008.
- Ducarme, B. (2012). Determination of the main Lunar waves generated by the third degree tidal potential and validity of the corresponding body tides models. *JOURNAL OF GEODESY*, 86(1):65–75.
- Ducarme, B., Palinkas, V., Meurers, B., X., C., and Va'ko, M. (2014). On the comparison of tidal gravity parameters with tidal models in central Europe. *JOURNAL OF GEODYNAMICS*, 80(SI):12–19.
- Ducarme, B., Rosat, S., Vandercoilden, L., Xu, J.-Q., and Sun, H.-P. (2009). European Tidal Gravity Observations: Comparison with Earth Tide Models and Estimation of the Free Core Nutation (FCN) Parameters. In Sideris, M. G., editor, *OBSERVING OUR CHANGING EARTH*, volume 133 of *International Association of Geodesy Symposia*, pages 523+. Int Assoc Geodesy; Int Union Geodesy & Geophys. General Assembly of the International-Association-of-Geodesy/24th General Assembly of the International-Union-of-Geodesy-and-Geophysics, Perugia, ITALY, JUL 02-13, 2007.
- Ducarme, B., Sun, H.-P., and Xu, J.-Q. (2007). Determination of the free core nutation period from tidal gravity observations of the GGP superconducting gravimeter network. *JOURNAL OF GEODESY*, 81(3):179–187.
- Ducarme, B., Venedikov, A., Arnosó, J., and Vieira, R. (2006a). Analysis and prediction of ocean tides by the computer program vav. *Journal of Geodynamics*, 41(1-3):119–127.
- Ducarme, B., Venedikov, A. P., Arnosó, J., Chen, X. D., Sun, H.-P., and Vieira, R. (2006b). Global analysis of the GGP superconducting gravimeters network for the estimation of the pole tide gravimetric amplitude factor. *JOURNAL OF GEODYNAMICS*, 41(1-3):334–344. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Ducarme, B., Venedikov, A. P., Arnosó, J., and Vieira, R. (2004). Determination of the long period tidal waves in the GGP superconducting gravity data. *JOURNAL OF GEODYNAMICS*, 38(3-5):307–324.
- dOreye, N. F. and Zürn, W. (2005). Very high resolution long-baseline water-tube tiltmeter to record small signals from earth free oscillations up to secular tilts. *Review of Scientific Instruments*, 76(2):024501.
- dOreye, N. F. and Zürn, W. (2006). Quarter-diurnal tides observed with a long-base water-tube tiltmeter in the grand duchy of luxembourg. *Journal of Geodynamics*, 41(13):175–182. Earth Tides and Geodynamics: Probing the Earth at Sub-Seismic Frequencies.
- Feng, J.-Y., Wu, S.-Q., Li, C.-J., Su, D.-W., Xu, J.-Y., and Yu, M. (2016). Precision evaluation of calibration factor of a superconducting gravimeter using an absolute gravimeter. In Yu, L., editor, *SEVENTH INTERNATIONAL SYMPOSIUM ON PRECISION MECHANICAL MEASUREMENTS*, volume 9903 of *Proceedings of SPIE*.

- Ferreira, A. M. G., d'Oreye, N. F., Woodhouse, J. H., and Zrn, W. (2006). Comparison of fluid tiltmeter data with long-period seismograms: Surface waves and earth's free oscillations. *Journal of Geophysical Research: Solid Earth*, 111(B11). B11307.
- Florsch, N. and Hinderer, J. (2000). Bayesian estimation of the free core nutation parameters from the analysis of precise tidal gravity data. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 117(1-4):21–35. 6th Symposium of Study on the Earths Deep Interior (SEDI98), TOURS, FRANCE, JUL 05-10, 1998.
- Fores, B., Champollion, C., Le Moigne, N., Bayer, R., and Chery, J. (2017a). Assessing the precision of the iGrav superconducting gravimeter for hydrological models and karstic hydrological process identification. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 208(1):269–280.
- Fores, B., Champollion, C., LE Moigne, N., and Chery, J. (2017b). Impact of ambient temperature on spring-based relative gravimeter measurements. *Journal of Geodesy*, 91(3):269–277.
- Francis, O., Baumann, H., Volarik, T., Rothleitner, C., Klein, G., Seil, M., Dando, N., Tracey, R., Ullrich, C., Castelein, S., Hu, H., Wu, K., Shen, C., Xuan, S., Tan, H., Li, Z., Palinkas, V., Kostelecky, J., Makinen, J., Naranen, J., Merlet, S., Farah, T., Guerlin, C., Dos Santos, F. P., Le Moigne, N., Champollion, C., Deville, S., Timmen, L., Falk, R., Wilmes, H., Iacovone, D., Baccaro, F., Germak, A., Biolcati, E., Krynski, J., Sekowski, M., Olszak, T., Pachuta, A., Agren, J., Engfeldt, A., Reudink, R., Inacio, P., McLaughlin, D., Shannon, G., Eckl, M., Wilkins, T., van Westrum, D., and Billson, R. (2013). The European Comparison of Absolute Gravimeters 2011 (ECAG-2011) in Walferdange, Luxembourg: results and recommendations. *METROLOGIA*, 50(3):257–268.
- Francis, O., Rothleitner, C., and Jiang, Z. (2014). Accurate Determination of the Earth Tidal Parameters at the BIPM to Support the Watt Balance Project. In Rizos, C. and Willis, P., editor, *EARTH ON THE EDGE: SCIENCE FOR A SUSTAINABLE PLANET*, volume 139 of *International Association of Geodesy Symposia*, pages 319–324. IAG; Int Union Geodesy & Geophysics; Int Assoc Geodesy. IAG 25th General Assembly of the International-Union-of-Geodesy-and-Geophysics (IUGG), Melbourne, AUSTRALIA, JUN 28-JUL 02, 2011.
- Francis, O. and van Dam, T. (2002). Evaluation of the precision of using absolute gravimeters to calibrate superconducting gravimeters. *METROLOGIA*, 39(5):485–488. 6th International Comparison of Absolute Gravimeters Conference (ICAG-2001), BUREAU INT POIDS MESURES, SEVRES, FRANCE, JUN 05-AUG 28, 2001.
- Freier, C., Hauth, M., Schkolnik, V., Leykauf, B., Schilling, M., Wziontek, H., Scherneck, H.-G., Mueller, J., and Peters, A. (2016). Mobile quantum gravity sensor with unprecedented stability. In Riehle, F, editor, *8TH SYMPOSIUM ON FREQUENCY STANDARDS AND METROLOGY 2015*, volume 723 of *Journal of Physics Conference Series*. Physikalisch Technische Bundesanstalt; Helmholtz Fonds e V; Natl Inst Standards & Technol; First TF; Observ Paris; Ctr Natl Rech Sci; Lab Natl Metrologie & Dessais; Deutsche Forschungsgemeinschaft. 8th Symposium on Frequency Standards and Metrology, Potsdam, GERMANY, OCT 12-16, 2015.
- Fukuda, Y., Higashi, T., Takemoto, S., Iwano, S., Doi, K., Shibuya, K., Hiraoka, Y., Kimura, I., McQueen, H., and Govind, R. (2005). Absolute gravity measurements in Australia and Syowa Station, Antarctica. In Jekeli, C. and Bastos, L. and Fernandes, J., editor, *Gravity, Geoid and Space Missions*, volume 129 of *INTERNATIONAL ASSOCIATION OF GEODESY SYMPOSIA*, pages 280–285. Int Assoc Geodesy; IUGG; NASA; ESA; GRICES; FCT; Univ Porto. IAG International Symposium on Gravity, Geoid and Space Missions (GGSM 2004), Oporto, PORTUGAL, AUG 30-SEP 03, 2004.

- Gebauer, A., Steffen, H., Kroner, C., and Jahr, T. (2010). Finite element modelling of atmosphere loading effects on strain, tilt and displacement at multi-sensor stations. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 181(3):1593–1612.
- Greff-Lefftz, M. and Legros, H. (2007). Fluid core dynamics and degree-one deformations: Slichter mode and geocenter motions. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 161(3-4):150–160.
- Grinfeld, P. and Wisdom, J. (2005). Motion of the mantle in the translational modes of the Earth and Mercury. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 151(1-2):77–87.
- Grinfeld, P. and Wisdom, J. (2010). The effect of phase transformations at the inner core boundary on the Slichter modes. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 178(3-4):183–188.
- Guo, J. Y., Dierks, O., Neumeyer, J., and Shum, C. K. (2006). Weighting algorithms to stack superconducting gravimeter data for the potential detection of the Slichter modes. *JOURNAL OF GEODYNAMICS*, 41(1-3):326–333. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Guo, J. Y., Dierks, O., Neumeyer, J., and Shum, C. K. (2007). A search for the Slichter modes in superconducting gravimeter records using a new method. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 168(2):507–517.
- Guo, J. Y., Greiner-Mai, H., and Ballani, L. (2005). A spectral search for the inner core wobble in Earth’s polar motion. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 110(B10).
- Habel, B. and Meurers, B. (2014). A new tidal analysis of superconducting gravity observations in western and central europe. *Contributions to Geophysics and Geodesy*, 44(1):1–24.
- Haefner, R. and Widmer-Schmidrig, R. (2013). Signature of 3-D density structure in spectra of the spheroidal free oscillation 0S2. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 192(1):285–294.
- Harms, J., Slagmolen, B. J. J., Adhikari, R. X., Miller, M. C., Evans, M., Chen, Y., Mueller, H., and Ando, M. (2013). Low-frequency terrestrial gravitational-wave detectors. *PHYSICAL REVIEW D*, 88(12).
- Harnisch, G. and Harnisch, M. (2006a). Hydrological influences in long gravimetric data series. *JOURNAL OF GEODYNAMICS*, 41(1-3):276–287. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Harnisch, M. and Harnisch, G. (2006b). Study of long-term gravity variations, based on data of the GGP co-operation. *JOURNAL OF GEODYNAMICS*, 41(1-3):318–325. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Harnisch, M. and Harnisch, G. (2009). Polar motion influences in the gravity data recorded by superconducting gravimeters. *JOURNAL OF GEODYNAMICS*, 48(3-5):340–347. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Harnisch, M., Harnisch, G., Nowak, I., Richter, B., and Wolf, P. (2000). The dual sphere superconducting gravimeter GWR CD029 at Frankfurt aM and Wettzell - first results and calibration. In Schwarz, KP, editor, *GEODESY BEYOND 2000: THE CHALLENGES OF THE FIRST DECADE*, volume 121 of *INTERNATIONAL ASSOCIATION OF GEODESY SYMPOSIA*, pages 155–160. Int Assoc Geodesy. 35th General Assembly of the International-Association-of-Geodesy, BIRMINGHAM, ENGLAND, JUL 19-30, 1999.

- Hasan, S., Troch, P. A., Bogaart, P. W., and Kroner, C. (2008). Evaluating catchment-scale hydrological modeling by means of terrestrial gravity observations. *WATER RESOURCES RESEARCH*, 44(8).
- Hasan, S., Troch, P. A., Boll, J., and Kroner, C. (2006). Modeling the hydrological effect on local gravity at Moxa, Germany. *JOURNAL OF HYDROMETEOROLOGY*, 7(3):346–354. 2nd international Workshop on Catchment-Scale Hydrological Modeling and Data Assimilation, Princeton Univ, Princeton, NJ, OCT 25-27, 2004.
- He, Q.-Q., Luo, S.-C., Sun, H.-P., Xu, J.-Q., and Chen, X.-D. (2016). The influence of groundwater changes on gravity observations at Jiufeng station in Wuhan. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 59(8):2765–2772.
- Hector, B., Hinderer, J., Seguis, L., Boy, J.-P., Calvo, M., Descloitres, M., Rosat, S., Galle, S., and Riccardi, U. (2014a). Hydro-gravimetry in West-Africa: First results from the Djougou (Benin) superconducting gravimeter. *JOURNAL OF GEODYNAMICS*, 80(SI):34–49.
- Hector, B., Hinderer, J., Seguis, L., Boy, J.-P., Calvo, M., Descloitres, M., Rosat, S., Galle, S., and Riccardi, U. (2014b). Hydro-gravimetry in west-africa: First results from the djougou (benin) superconducting gravimeter. *Journal of Geodynamics*, 80:34–49.
- Hector, B., Seguis, L., Hinderer, J., Cohard, J.-M., Wubda, M., Descloitres, M., Benarrosh, N., and Boy, J.-P. (2015). Water storage changes as a marker for base flow generation processes in a tropical humid basement catchment (Benin): Insights from hybrid gravimetry. *WATER RESOURCES RESEARCH*, 51(10):8331–8361.
- Hector, B., Seguis, L., Hinderer, J., Descloitres, M., Vouillamoz, J.-M., Wubda, M., Boy, J.-P., Luck, B., and Le Moigne, N. (2013). Gravity effect of water storage changes in a weathered hard-rock aquifer in West Africa: results from joint absolute gravity, hydrological monitoring and geophysical prospection. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 194(2):737–750.
- Hegewald, A., Jentzsch, G., and Jahr, T. (2011). Influence of temperature variations on the noise level of the data of the LaCoste and Romberg Earth tide gravity meter ET18. *GEOCHEMISTRY GEOPHYSICS GEOSYSTEMS*, 12.
- Hemmings, B., Gottsmann, J., Whitaker, F., and Coco, A. (2016). Investigating hydrological contributions to volcano monitoring signals: a time-lapse gravity example. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 207(1):259–273.
- Hinderer, J., Amalvict, M., Crossley, D., Leveque, J.-J., Rivera, L., and Luck, B. (2002). Tides, earthquakes and ground noise as seen by the absolute gravimeter FG5 and its superspring; comparison with a superconducting gravimeter and a broadband seismometer. *METROLOGIA*, 39(5):495–501. 6th International Comparison of Absolute Gravimeters Conference (ICAG-2001), BUREAU INT POIDS MESURES, SEVRES, FRANCE, JUN 05-AUG 28, 2001.
- Hinderer, J., Andersen, O. B., Lemoine, F. G., Crossley, D., and Boy, J.-P. (2006). Seasonal changes in the European gravity field from GRACE: A comparison with superconducting gravimeters and hydrology model predictions. *JOURNAL OF GEODYNAMICS*, 41(1-3):59–68. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Hinderer, J., Boy, J.-P., Gegout, P., Defraigne, P., Roosbeek, F., and Dehant, V. (2000). Are the free core nutation parameters variable in time? *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 117(1-4):37–49. 6th Symposium of Study on the Earths Deep Interior (SEDI98), TOURS, FRANCE, JUL 05-10, 1998.

- Hinderer, J. and Crossley, D. (2000). Time variations in gravity and inferences on the Earth's structure and dynamics. *SURVEYS IN GEOPHYSICS*, 21(1):1–45.
- Hinderer, J. and Crossley, D. (2004). Scientific achievements from the first phase (1997-2003) of the Global Geodynamics Project using a worldwide network of superconducting gravimeters. *JOURNAL OF GEODYNAMICS*, 38(3-5):237–262.
- Hinderer, J., de Linage, C., Boy, J. P., Gegout, P., Masson, F., Rogister, Y., Amalvict, M., Pfeffer, J., Littel, F., Luck, B., Bayer, R., Champollion, C., Collard, P., Le Moigne, N., Diament, M., Deroussi, S., de Viron, O., Biancale, R., Lernoine, J. M., Bonvalot, S., Gabalda, G., Bock, O., Genthon, P., Boucher, M., Favreau, G., Seguis, L., Delclaux, F., Cappelaere, B., Oi, M., Descloitres, M., Galle, S., Laurent, J. P., Legchenko, A., and Bouin, M. N. (2009). The GHYRAF (Gravity and Hydrology in Africa) experiment: Description and first results. *JOURNAL OF GEODYNAMICS*, 48(3-5, SI):172–181. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Hinderer, J., Hector, B., Boy, J.-P., Riccardi, U., Rosat, S., Calvo, M., and Littel, F. (2014a). A search for atmospheric effects on gravity at different time and space scales. *Journal of Geodynamics*, 80:50–57.
- Hinderer, J., Pfeffer, J., Boucher, M., Nahmani, S., De Linage, C., Boy, J.-P., Genthon, P., Seguis, L., Favreau, G., Bock, O., Descloitres, M., and Team, G. (2012). Land Water Storage Changes from Ground and Space Geodesy: First Results from the GHYRAF (Gravity and Hydrology in Africa) Experiment. *PURE AND APPLIED GEOPHYSICS*, 169(8):1391–1410.
- Hinderer, J., Rosat, S., Calvo, M., Boy, J.-P., Hector, B., Riccardi, U., and Seguis, L. (2014b). Preliminary Results from the Superconducting Gravimeter SG-060 Installed in West Africa (Djougou, Benin). In Rizos, C. and Willis, P., editor, *EARTH ON THE EDGE: SCIENCE FOR A SUSTAINABLE PLANET*, volume 139 of *International Association of Geodesy Symposia*, pages 413–419. IAG; Int Union Geodesy & Geophysics; Int Assoc Geodesy. IAG 25th General Assembly of the International-Union-of-Geodesy-and-Geophysics (IUGG), Melbourne, AUSTRALIA, JUN 28-JUL 02, 2011.
- Hokkanen, T., Korhonen, K., and Virtanen, H. (2006). Hydrogeological effects on superconducting gravimeter measurements at Metsahovi in Finland. *JOURNAL OF ENVIRONMENTAL AND ENGINEERING GEOPHYSICS*, 11(4):261–267.
- Hokkanen, T., Korhonen, K., Virtanen, H., and Laine, E. L. (2007a). Effects of the fracture water of bedrock on superconducting gravimeter data. *NEAR SURFACE GEOPHYSICS*, 5(2):133–139.
- Hokkanen, T., Virtanen, H., and Pirttivaara, M. (2007b). On hydrogeological noise in superconducting gravimeter data. *NEAR SURFACE GEOPHYSICS*, 5(2):125–131.
- Hu, X., Liu, L., Sun, H.-P., Xu, H., Hinderer, J., and X., K. (2006a). Wavelet filter analysis of splitting and coupling of seismic normal modes below 1.5 mHz with superconducting gravimeter records after the December 26, 2004 Sumatra earthquake. *SCIENCE IN CHINA SERIES D-EARTH SCIENCES*, 49(12):1259–1269.
- Hu, X. G., Jiang, Y., and Sun, H.-P. (2014). Assessing the scalar moment of moderate earthquake and the effect of lateral heterogeneity on normal modes—An example from the 2013/04/20 Lushan earthquake, Sichuan, China. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 232:61–71.

- Hu, X.-G., Liu, L. T., Ducarme, B., Hsu, H. T., and Sun, H.-P. (2006b). Wavelet filter analysis of local atmospheric pressure effects in the long-period tidal bands. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 159(1-2):59–70.
- Hu, X.-G., Liu, L.-T., Ducarme, B., Xu, H. J., and Sun, H.-P. (2007). Estimation of the pole tide gravimetric factor at the Chandler period through wavelet filtering. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 169(3):821–829.
- Hu, X. G., Liu, L. T., Hinderer, J., Hsu, H. T., and Sun, H.-P. (2006c). Wavelet filter analysis of atmospheric pressure effects in the long-period seismic mode band. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 154(1):70–84.
- Hu, X. G., Liu, L. T., Hinderer, J., and Sun, H.-P. (2005). Wavelet filter analysis of local atmospheric pressure effects on gravity variations. *JOURNAL OF GEODESY*, 79(8):447–459.
- Hwang, C., Kao, R., Cheng, C.-C., Huang, J.-F., Lee, C.-W., and Sato, T. (2009). Results from parallel observations of superconducting and absolute gravimeters and GPS at the Hsinchu station of Global Geodynamics Project, Taiwan. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 114.
- Ihde, J., Baker, T., Bruyninx, C., Francis, O., Amalvict, M., Kenyeres, A., Makinen, J., Shipman, S., Simek, J., and Wilmes, H. (2005). Development of a European Combined Geodetic Network (ECGN). *JOURNAL OF GEODYNAMICS*, 40(4-5):450–460. 23rd General Assembly of the International-Union-of-Geodesy-and Geophysics, Sapporo, JAPAN, JUL, 2003.
- Ihde, J., Soehne, W., Schwahm, W., Wilmes, H., Wziontek, H., Kluegel, T., and Schlueter, W. (2007). Combination of different geodetic techniques for signal detection - a case study at Fundamental Station Wettzell on the occasion of the Sumatra-Andaman earthquake (Dec 26, 2004). In Tregoning, P. and Rizos, C., editor, *DYNAMIC PLANET: MONITORING AND UNDERSTANDING A DYNAMIC PLANET WITH GEODETIC AND OCEANOGRAPHIC TOOLS*, volume 130 of *International Association of Geodesy Symposia*, pages 760+. IAG. IAG Symposium on Dynamic Planet, Cairns, AUSTRALIA, AUG 22-26, 2005.
- Ikeda, H., Aoyama, Y., Hayakawa, H., Doi, K., and Shibuya, K. (2011). Development of the superconducting gravimeter using a new type of diaphragm. *PHYSICA C-SUPERCONDUCTIVITY AND ITS APPLICATIONS*, 471(21-22):1543–1546. 23rd International Symposium on Superconductivity (ISS), Tsukuba, JAPAN, NOV 01-03, 2010.
- Ikeda, H., Aoyama, Y., Hayakawa, H., Doi, K., and Shibuya, K. (2012). Great earthquake East Japan observation by superconducting gravimeter in Antarctica. *CRYOGENICS*, 52(12, SI):704–707. 6th Asian Conference on Applied Superconductivity and Cryogenics (ACASC), Delhi, INDIA, NOV 16-18, 2011.
- Ikeda, H., Doi, K., Fukuda, Y., Shibuya, K., and Yoshizaki, R. (2005). Installation of superconducting gravimeter in the Antarctica. *PHYSICA C-SUPERCONDUCTIVITY AND ITS APPLICATIONS*, 426(1):759–763. 17th International Symposium on Superconductivity, Niigata, JAPAN, NOV 23-25, 2004.
- Imanishi, Y. (2005). On the possible cause of long period instrumental noise (parasitic mode) of a superconducting gravimeter. *JOURNAL OF GEODESY*, 78(11-12):683–690.
- Imanishi, Y. (2009). High-frequency parasitic modes of superconducting gravimeters. *JOURNAL OF GEODESY*, 83(5):455–467.

- Imanishi, Y., Kokubo, K., and Tatehata, H. (2006). Effect of underground water on gravity observation Matsushiro, Japan. *JOURNAL OF GEODYNAMICS*, 41(1-3):221–226. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Imanishi, Y., Nawa, K., and Takayama, H. (2013). Local hydrological processes in a fractured bedrock and the short-term effect on gravity at Matsushiro, Japan. *JOURNAL OF GEODYNAMICS*, 63:62–68.
- Imanishi, Y., Tamura, Y., Ikeda, H., and Okubo, S. (2009). Permanent gravity changes recorded on superconducting gravimeters from earthquakes in central Japan-The Noto Hantou and Niigataken Chuetsu-oki events in 2007. *JOURNAL OF GEODYNAMICS*, 48(3-5):260–268. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Iorio, L. (2006). On the impossibility of measuring the general relativistic part of the terrestrial acceleration of gravity with superconducting gravimeters. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 167(2):567–569.
- Iwano, S., Fukuda, Y., Sato, T., Tamura, Y., Matsumoto, K., and Shibuya, K. (2005). Long-period tidal factors at Antarctica Syowa Station determined from 10 years of superconducting gravimeter data. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 110(B10).
- Jacob, T., Bayer, R., Chery, J., Jourde, H., Le Moigne, N., Boy, J.-P., Hinderer, J., Luck, B., and Brunet, P. (2008). Absolute gravity monitoring of water storage variation in a karst aquifer on the larzac plateau (Southern France). *JOURNAL OF HYDROLOGY*, 359(1-2):105–117.
- Jacob, T., Bayer, R., Chery, J., and Le Moigne, N. (2010). Time-lapse microgravity surveys reveal water storage heterogeneity of a karst aquifer. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 115.
- Jacob, T., Chery, J., Bayer, R., Le Moigne, N., Boy, J.-P., Vernant, P., and Boudin, F. (2009). Time-lapse surface to depth gravity measurements on a karst system reveal the dominant role of the epikarst as a water storage entity. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 177(2):347–360.
- Jentzsch, G., Crossley, D., Hinderer, J., and Takemoto, S. (2004). Time varying gravimetry, GGP, and vertical crustal motions. *JOURNAL OF GEODYNAMICS*, 38(3-5):223–224.
- Jentzsch, G., Jahr, T., and Kroner, C. (2009). Special issue on “New challenges in Earth’s Dynamics” Proceedings of the 16th International Symposium on Earth Tides-joined meeting of sub-commissions 3.1 on Earth Rotation and Earth Tides, 3.2 on Crustal Deformation, 3.3 on Geophysical fluids, and the Global Geodynamics Project (GGP), held in Jena, Germany, 1-5 September 2008. *JOURNAL OF GEODYNAMICS*, 48(3-5):107–109.
- Jiang, Y., Xu, J. Q., and Sun, H.-P. (2013). Detection of Inner Core Translational Oscillations Using Superconducting Gravimeters. *JOURNAL OF EARTH SCIENCE*, 24(5):750–758.
- Jiang, Y., Xu, J.-Q., and Sun, H.-P. (2014). The influence of deep interior structure on the eigenperiod of inner core’s translational oscillations. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 57(4):1041–1048.
- Jiang, Y., Xu, J.-Q., and Sun, H.-P. (2015). Earthquake excitation of translational oscillation in the Earth’s inner core. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 58(1):92–102.
- Jiang, Y., Xu, J.-Q., Sun, H.-P., Liu, Z.-W., and Li, H. (2016). Theoretical calculation and experimental detection of the inner core translational triplet based on a rotating, slightly elliptical Earth model. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 59(8):2754–2764.

- Johnsson, M. T., Brennen, G. K., and Twamley, J. (2016). Macroscopic superpositions and gravimetry with quantum magnetomechanics. *SCIENTIFIC REPORTS*, 6.
- Kallio, U. and Poutanen, M. (2012). Can We Really Promise a mm-Accuracy for the Local Ties on a Geo-VLBI Antenna. In Kenyon, S. C. and Pacino, M. C. and Marti, U. J., editor, *GEODESY FOR PLANET EARTH: PROCEEDINGS OF THE 2009 IAG SYMPOSIUM*, volume 136 of *International Association of Geodesy Symposia*, pages 35–42. Int Assoc Geodesy (IAG). Scientific Assembly of the International-Association-of-Geodesy (IAG) - Geodesy for Planet Earth, Buenos Aires, ARGENTINA, AUG 31-SEP 04, 2009.
- Kang, K., Li, H., Peng, P., Hao, H., and Wei, J. (2011). Seasonal Variations in Hydrological Influences on Gravity Measurements Using gPhones. *TERRESTRIAL ATMOSPHERIC AND OCEANIC SCIENCES*, 22(2, SI):157–168. International Workshop on Gravity, GPS and Satellite Altimetry Observations of Tibet, Urumqi, PEOPLES R CHINA, AUG 20-22, 2009.
- Kao, R., Kabirzadeh, H., Kim, J. W., Neumeyer, J., and Sideris, M. G. (2014). Detecting small gravity change in field measurement: simulations and experiments of the superconducting gravimeter-iGrav. *JOURNAL OF GEOPHYSICS AND ENGINEERING*, 11(4).
- Karbon, M., Boehm, J., Meurers, B., and Schuh, H. (2014). Atmospheric Corrections for Superconducting Gravimeters Using Operational Weather Models. In Rizos, C. and Willis, P., editor, *EARTH ON THE EDGE: SCIENCE FOR A SUSTAINABLE PLANET*, volume 139 of *International Association of Geodesy Symposia*, pages 421–427. IAG; Int Union Geodesy & Geophysics; Int Assoc Geodesy. IAG 25th General Assembly of the International-Union-of-Geodesy-and-Geophysics (IUGG), Melbourne, AUSTRALIA, JUN 28-JUL 02, 2011.
- Kasch, N., Naujoks, M., Kley, J., and Jahr, T. (2013). Combined geological and gravimetric mapping and modelling for an improved understanding of observed high-resolution gravity variations: a case study for the Global Geodynamics Project (GGP) station Moxa, Germany. *INTERNATIONAL JOURNAL OF EARTH SCIENCES*, 102(5):1257–1270.
- Kazama, T. and Okubo, S. (2009). Hydrological modeling of groundwater disturbances to observed gravity: Theory and application to Asama Volcano, Central Japan. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 114.
- Kazama, T., Tamura, Y., Asari, K., Manabe, S., and Okubo, S. (2012). Gravity changes associated with variations in local land-water distributions: Observations and hydrological modeling at Isawa Fan, northern Japan. *EARTH PLANETS AND SPACE*, 64(4):309–331.
- Kennedy, J., Ferre, T. P. A., Guentner, A., Abe, M., and Creutzfeldt, B. (2014). Direct measurement of subsurface mass change using the variable baseline gravity gradient method. *GEOPHYSICAL RESEARCH LETTERS*, 41(8):2827–2834.
- Kennedy, J. R. and Ferre, T. P. A. (2016). Accounting for time- and space-varying changes in the gravity field to improve the network adjustment of relative-gravity data. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 204(2):892–906.
- Kim, J. W., Neumeyer, J., Kao, R., and Kabirzadeh, H. (2015). Mass balance monitoring of geological CO₂ storage with a superconducting gravimeter - A case study. *JOURNAL OF APPLIED GEOPHYSICS*, 114:244–250.
- Kim, J. W., Neumeyer, J., Kim, T. H., Woo, I., Park, H.-J., Jeon, J.-S., and Kim, K.-D. (2009a). Analysis of Superconducting Gravimeter measurements at MunGyung station, Korea. *JOURNAL OF GEODYNAMICS*, 47(4):180–190.

- Kim, K.-D., Kim, J. W., Neumeyer, J., Kao, R., Hwang, C., Park, H.-J., Woo, I., and Lee, Y. W. (2009b). Determination of gravity at MunGyung (Mungyeong) superconducting gravity observatory, Korea. *GEOSCIENCES JOURNAL*, 13(2):141–150.
- Kim, T.-H. and Shibuya, K. (2013). Verification of the ellipsoidal earth model with an inelastic and convective mantle using tidal gravity variations revisited. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 194(1):230–248.
- Kim, T.-H., Shibuya, K., Doi, K., Aoyama, Y., and Hayakawa, H. (2011). Validation of global ocean tide models using the superconducting gravimeter data at Syowa Station, Antarctica, and in situ tide gauge and bottom-pressure observations. *POLAR SCIENCE*, 5(1):21–39.
- Klügel, T. and Wziontek, H. (2009). Correcting gravimeters and tiltmeters for atmospheric mass attraction using operational weather models. *Journal of Geodynamics*, 48(35):204–210. New Challenges in Earth's Dynamics - Proceedings of the 16th International Symposium on Earth Tides.
- Krasna, H., Bohm, J., and Schuh, H. (2013). Tidal love and shida numbers estimated by geodetic vlbi. *Journal of Geodynamics*, 70:21 – 27.
- Krause, P., Naujoks, M., Fink, M., and Kroner, C. (2009). The impact of soil moisture changes on gravity residuals obtained with a superconducting gravimeter. *JOURNAL OF HYDROLOGY*, 373(1-2):151–163.
- Kroner, C., Dierks, O., Neumeyer, J., and Wilmes, H. (2005). Analysis of observations with dual sensor superconducting gravimeters. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 153(4):210–219.
- Kroner, C. and Jahr, T. (2006). Hydrological experiments around the superconducting gravimeter at Moxa Observatory. *JOURNAL OF GEODYNAMICS*, 41(1-3):268–275. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Kroner, C., Jahr, T., and Jentzsch, G. (2004). Results from 44 months of observations with a superconducting gravimeter at Moxa/Germany. *JOURNAL OF GEODYNAMICS*, 38(3-5):263–280.
- Kroner, C., Jahr, T., Naujoks, M., and Weise, A. (2007). Hydrological signals in gravity - foe or friend? In Tregoning, P. and Rizos, C., editor, *DYNAMIC PLANET: MONITORING AND UNDERSTANDING A DYNAMIC PLANET WITH GEODETIC AND OCEANOGRAPHIC TOOLS*, volume 130 of *International Association of Geodesy Symposia*, pages 504+. IAG. IAG Symposium on Dynamic Planet, Cairns, AUSTRALIA, AUG 22-26, 2005.
- Kroner, C., Thomas, M., Dobslaw, H., Abe, M., and Weise, A. (2009). Seasonal effects of non-tidal oceanic mass shifts in observations with superconducting gravimeters. *JOURNAL OF GEODYNAMICS*, 48(3-5, SI):354–359. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Kroner, C. and Weise, A. (2011). Sensitivity of superconducting gravimeters in central Europe on variations in regional river and drainage basins. *JOURNAL OF GEODESY*, 85(10):651–659.
- Kroner, C., Werth, S., Pflug, H., Guentner, A., Creutzfeldt, B., Thomas, M., Dobslaw, H., Fourie, P., and Charles, P. H. (2012). Signals of Mass Redistribution at the South African Gravimeter Site SAGOS. In Kenyon, S. C. and Pacino, M. C. and Marti, U. J., editor, *GEODESY FOR PLANET EARTH: PROCEEDINGS OF THE 2009 IAG SYMPOSIUM*, volume 136 of *International Association of Geodesy Symposia*, pages 305–313. Int Assoc Geodesy (IAG). Scientific Assembly of the International-Association-of-Geodesy (IAG) - Geodesy for Planet Earth, Buenos Aires, ARGENTINA, AUG 31-SEP 04, 2009.

- Kumar, N. and Khandelwal, D. D. (2015). Strong motion data analysis of the 4 April 2011 Western Nepal earthquake (M 5.7) and its implications to the seismic hazard in the Central Himalaya. *CURRENT SCIENCE*, 109(10):1822–1830.
- Kumar, N. and Rawat, G. and Choubey, V. M. and Hazarika, D. (2013). Earthquake precursory research in western himalaya based on the multi-parametric geophysical observatory data. *Acta Geophysica*, 61(4):977–999.
- Kumpel, H. J., Lehmann, K., Fabian, M., and Menten, G. (2001). Point stability at shallow depths: experience from tilt measurements in the Lower Rhine Embayment, Germany, and implications for high-resolution GPS and gravity recordings. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 146(3):699–713.
- Lambert, A., Courtier, N., and James, T. S. (2006). Long-term monitoring by absolute gravimetry: Tides to postglacial rebound. *JOURNAL OF GEODYNAMICS*, 41(1-3):307–317. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Lambotte, S., Rivera, L., and Hinderer, J. (2006a). Rupture length and duration of the 2004 Aceh-Sumatra earthquake from the phases of the Earth’s gravest free oscillations. *GEOPHYSICAL RESEARCH LETTERS*, 33(3).
- Lambotte, S., Rivera, L., and Hinderer, J. (2006b). Vertical and horizontal seismometric observations of tides. *JOURNAL OF GEODYNAMICS*, 41(1-3):39–58. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Lambotte, S., Rivera, L., and Hinderer, J. (2007). Constraining the overall kinematics of the 2004 Sumatra and the 2005 Nias earthquakes using the earth’s gravest free oscillations. *BULLETIN OF THE SEISMOLOGICAL SOCIETY OF AMERICA*, 97(1, A, S):S128–S138.
- Lampitelli, C. and Francis, O. (2010). Hydrological effects on gravity and correlations between gravitational variations and level of the Alzette River at the station of Walferdange, Luxembourg. *JOURNAL OF GEODYNAMICS*, 49(1):31–38.
- Lan, S.-C., Yu, T.-T., Hwang, C., and Kao, R. (2011). An Analysis of Mechanical Constraints when Using Superconducting Gravimeters for Far-Field Pre-Seismic Anomaly Detection. *TERRESTRIAL ATMOSPHERIC AND OCEANIC SCIENCES*, 22(3):271–282.
- Lan, S. C., Yu, T. T., Hwang, C., and Kao, R. (2012). Co-seismic Gravity Change of M-w 7.9 Wenchuan Earthquake and Pre-Seismic Gravity Anomaly Detection by Superconducting Gravimeter at Hsinchu, Taiwan, from April to June 2008. In Sneeuw, N and Novak, P and Crespi, M and Sanso, F, editor, *VII HOTINE-MARUSSI SYMPOSIUM ON MATHEMATICAL GEODESY*, volume 137 of *International Association of Geodesy Symposia*. Federazione delle Assoc Scientifiche per Informazioni Territoriali Ambientali (ASITA); Agenzia Spaziale Italiana (ASI); European Space Agency (ESA). 7th Hotine-Marussi Symposium on Mathematical Geodesy, Sapienza Univ Rome, Fac Engn, Rome, ITALY, JUN 06-10, 2009.
- Lee, S. W. and Yu, M.-J., Kang, C. S., and Kim, I. S. (2013). A Relative Gravimeter Featuring a Superconducting Planar Spring and the Electromagnetic Levitation. In *2013 IEEE SENSORS*, IEEE Sensors, pages 363–366. IEEE; IEEE Sensors Council. 12th IEEE Sensors Conference, Baltimore, MD, NOV 03-06, 2013.
- Lee, S. W., Yu, M.-J., and Kim, I. S. (2016). Design and Fabrication of a Superconducting Relative Gravimeter With a Planar Spring. *IEEE SENSORS JOURNAL*, 16(9):2958–2963.

- Lei, X. and Xu, H. Z. (2002). Tri-frequency spectrum method and results for resolving the parameters of Earth's liquid core free nutation. *SCIENCE IN CHINA SERIES D-EARTH SCIENCES*, 45(4):325–336.
- Lei, X. E., Sun, H.-P., T., H. H., and L., S. Y. (2007). Check of Earth's free oscillations excited by Sumatra-Andaman Large Earthquake and discussions on the anisotropy of inner core. *SCIENCE IN CHINA SERIES D-EARTH SCIENCES*, 50(6):909–917.
- Lei, X. N., Xu, H. Z., and Sun, H.-P. (2005). Detection of spheroidal free oscillation excited by Peru 8.2 M-s earthquake with five international superconducting gravimeter data. *SCIENCE IN CHINA SERIES D-EARTH SCIENCES*, 48(1):123–133.
- Lesparre, N., Boudin, F., Champollion, C., Chéry, J., Danquigny, C., Seat, H. C., Cattoen, M., Lizion, F., and Longuevergne, L. (2017). New insights on fractures deformation from tiltmeter data measured inside the fontaine de vaucluse karst system. *Geophysical Journal International*, 208(3):1389.
- Lien, T., Cheng, C.-C., Hwang, C., and Crossley, D. (2014). Assessing active faulting by hydrogeological modeling and superconducting gravimetry: A case study for Hsinchu Fault, Taiwan. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 119(9):7319–7335.
- Liu, L. T., Xu, H. Z., Sun, H.-P., and Hao, X. H. (2000). Wavelet approach to the determination of gravity tide parameters. *SCIENCE IN CHINA SERIES D-EARTH SCIENCES*, 43(2):158–165.
- Liu, Q.-C., Sun, H.-P., Xu, J.-Q., Chen, X.-D., Zhang, M.-M., and He, Q.-Q. (2016). The research of ocean tide loading effects on gravity and ambient noise at Zhongshan and Syowa station in Antarctic. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 59(8):2773–2782.
- Llubes, M., Florsch, N., Hinderer, J., Longuevergne, L., and Amalvict, M. (2004). Local hydrology, the Global Geodynamics Project and CHAMP/GRACE perspective: some case studies. *JOURNAL OF GEODYNAMICS*, 38(3-5):355–374.
- Longuevergne, L., Boy, J.-P., Florsch, N., Viville, D., Ferhat, G., Ulrich, P., Luck, B., and Hinderer, J. (2009a). Local and global hydrological contributions to gravity variations observed in Strasbourg. *JOURNAL OF GEODYNAMICS*, 48(3-5):189–194. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Longuevergne, L., Oudin, L., Florsch, N., Boudin, F., and Boy, J.-P. (2009b). Physical Modelling to Remove Hydrological Effects at Local and Regional Scale: Application to the 100-m Hydrostatic Inclinometer in Sainte-Croix-aux-Mines (France). In Sideris, M. G., editor, *OBSERVING OUR CHANGING EARTH*, volume 133 of *International Association of Geodesy Symposia*, pages 533+. Int Assoc Geodesy; Int Union Geodesy & Geophys. General Assembly of the International-Association-of-Geodesy/24th General Assembly of the International-Union-of-Geodesy-and-Geophysics, Perugia, ITALY, JUL 02-13, 2007.
- Luan, W., Shen, W.-B., and Jia, J.-G. (2015). Detection of low-frequency modes of Earth's free oscillation excited by the Japan Mw 9.0 earthquake using observations of the vertical pendulum tiltmeter. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 58(3):844–856.
- Luo, S., Sun, H.-P., and Xu, J. (2009). An investigation of the quasi 3-D atmospheric loading response on gravity-Implementation and evaluation. *JOURNAL OF GEODYNAMICS*, 48(3-5):366–370. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.

- Makinen, J., Engfeldt, A., Harsson, B. G., Ruotsalainen, H., Strykowski, G., Oja, T., and Wolf, D. (2005). The Fennoscandian land uplift gravity lines 1966-2003. In Jekeli, C. and Bastos, L. and Fernandes, J., editor, *Gravity, Geoid and Space Missions*, volume 129 of *INTERNATIONAL ASSOCIATION OF GEODESY SYMPOSIA*, pages 328–332. Int Assoc Geodesy; IUGG; NASA; ESA; GRICES; FCT; Univ Porto. IAG International Symposium on Gravity, Geoid and Space Missions (GGSM 2004), Oporto, PORTUGAL, AUG 30-SEP 03, 2004.
- Makinen, J., Hokkanen, T., Virtanen, H., Raja-Halli, A., and Makinen, R. P. (2014). Local Hydrological Effects on Gravity at Metsahovi, Finland: Implications for Comparing Observations by the Superconducting Gravimeter with Global Hydrological Models and with GRACE. In Marti, U., editor, *GRAVITY, GEOID AND HEIGHT SYSTEMS*, volume 141 of *International Association of Geodesy Symposia*, pages 275–281. Int Assoc Geodesy Commiss Grav Field. IAG 5th International Symposium on Gravity, Geoid and Height Systems (GGHS), Venice, ITALY, OCT 09-12, 2012.
- Mäkinen, J., Virtanen, H., Bilker-Koivula, M., Ruotsalainen, H., Näränen, J., and Raja-Halli, A. (2016). *The Effect of Helium Emissions by a Superconducting Gravimeter on the Rubidium Frequency Standards of Absolute Gravimeters*, pages 45–51. Springer International Publishing, Cham.
- Mansinha, L., Ducarme, B., Hinderer, J., Meurers, B., and van Ruymbeke, M. (2001). Search for the gravitational absorption effect using superconducting gravimeters during the eclipse of august 11, 1999. *Journal of the Geodetic Society of Japan*, 47(1):387–391.
- Memin, A., Rogister, Y., Hinderer, J., Omang, O. C., and Luck, B. (2011). Secular gravity variation at Svalbard (Norway) from ground observations and GRACE satellite data. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 184(3):1119–1130.
- Memin, A., Spada, G., Boy, J.-P., Rogister, Y., and Hinderer, J. (2014). Decadal geodetic variations in Ny-Alesund (Svalbard): role of past and present ice-mass changes. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 198(1):285–297.
- Merriam, J. B. (2000). The response method applied to the analysis of superconducting gravimeter data. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 121(3-4):289–299.
- Metivier, L. and Conrad, C. P. (2008). Body tides of a convecting, laterally heterogeneous, and aspherical Earth. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 113(B11).
- Metivier, L., Greff-Lefftz, M., and Diament, M. (2007). Mantle lateral variations and elastogravitational deformations - II. Possible effects of a superplume on body tides. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 168(3):897–903.
- Meurers, B. (2001a). Superconducting gravimetry in geophysical research today. *Journal of the Geodetic Society of Japan*, 47(1):300–307.
- Meurers, B. (2001b). Tidal and non-tidal gravity variations in vienna - a five years' sg record. *Journal of the Geodetic Society of Japan*, 47(1):392–397.
- Meurers, B. (2004). Investigation of temporal gravity variations in SG-records. *JOURNAL OF GEODYNAMICS*, 38(3-5):423–435.
- Meurers, B. (2012). Superconducting gravimeter calibration by colocated gravity observations: Results from gwr c025. *International Journal of Geophysics*, 2012:954271.
- Meurers, B. (2017). Scintrex cg5 used for superconducting gravimeter calibration. *Geodesy and Geodynamics*, pages –.

- Meurers, B., Ruess, D., Ullrich, C., and Niessner, A. (2016a). Gravity monitoring at the conrad observatory (co). In *IAG Symposium on Terrestrial Gravimetry: Static and Mobile Measurements*.
- Meurers, B., Van Camp, M., Francis, O., and Palinkas, V. (2016b). Temporal variation of tidal parameters in superconducting gravimeter time-series. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 205(1):284–300.
- Meurers, B., Van Camp, M., and Petermans, T. (2007). Correcting superconducting gravity time-series using rainfall modelling at the vienna and membach stations and application to earth tide analysis. *Journal of Geodesy*, 81(11):703–712.
- Middlemiss, R. P., Samarelli, A., Paul, D. J., Hough, J., Rowan, S., and Hammond, G. D. (2016). Measurement of the Earth tides with a MEMS gravimeter. *NATURE*, 531(7596):614+.
- Mikolaj, M., Meurers, B., and Guentner, A. (2016). Modelling of global mass effects in hydrology, atmosphere and oceans on surface gravity. *COMPUTERS & GEOSCIENCES*, 93:12–20.
- Mikolaj, M., Meurers, B., and Mojzes, M. (2015). The reduction of hydrology-induced gravity variations at sites with insufficient hydrological instrumentation. *STUDIA GEOPHYSICA ET GEODAETICA*, 59(3):424–437.
- Mok, C., Barrett, B., Carew, A., Berthiaume, R., Beattie, S., and Kumarakrishnan, A. (2013). Demonstration of improved sensitivity of echo interferometers to gravitational acceleration. *PHYSICAL REVIEW A*, 88(2).
- Montagner, J.-P., Juhel, K., Barsuglia, M., Ampuero, J.-P., Chassande-Mottin, E., Harms, J., Whiting, B., Bernard, P., Clevede, E., and Lognonne, P. (2016). Prompt gravity signal induced by the 2011 Tohoku-Oki earthquake. *NATURE COMMUNICATIONS*, 7.
- Moody, M. V. (2011). A superconducting gravity gradiometer for measurements from a moving vehicle. *REVIEW OF SCIENTIFIC INSTRUMENTS*, 82(9).
- Mouyen, M., Chao, B. F., Hwang, C., and Hsieh, W.-C. (2016). Gravity monitoring of Tatun Volcanic Group activities and inference for underground fluid circulations. *JOURNAL OF VOLCANOLOGY AND GEOTHERMAL RESEARCH*, 328:45–58.
- Naujoks, M., Eisner, S., Kroner, C., Weise, A., Krause, P., and Jahr, T. (2012). Local Hydrological Information in Gravity Time Series: Application and Reduction. In Kenyon, S. C. and Pacino, M. C. and Marti, U. J., editor, *GEODESY FOR PLANET EARTH: PROCEEDINGS OF THE 2009 IAG SYMPOSIUM*, volume 136 of *International Association of Geodesy Symposia*, pages 297–304. Int Assoc Geodesy (IAG). Scientific Assembly of the International-Association-of-Geodesy (IAG) - Geodesy for Planet Earth, Buenos Aires, ARGENTINA, AUG 31-SEP 04, 2009.
- Naujoks, M., Kroner, C., Weise, A., Jahr, T., Krause, P., and Eisner, S. (2010). Evaluating local hydrological modelling by temporal gravity observations and a gravimetric three-dimensional model. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 182(1):233–249.
- Naujoks, M., Weise, A., Kroner, C., and Jahr, T. (2008). Detection of small hydrological variations in gravity by repeated observations with relative gravimeters. *JOURNAL OF GEODESY*, 82(9):543–553.
- Nawa, K., Satake, K., Suda, N., Doi, K., Shibuya, K., and Sato, T. (2007a). Sea level and gravity variations after the 2004 Sumatra Earthquake observed at Syowa Station, Antarctica. In Tregoning, P. and Rizos, C., editor, *DYNAMIC PLANET: MONITORING AND UNDERSTANDING A*

DYNAMIC PLANET WITH GEODETIC AND OCEANOGRAPHIC TOOLS, volume 130 of *International Association of Geodesy Symposia*, pages 536+. IAG. IAG Symposium on Dynamic Planet, Cairns, AUSTRALIA, AUG 22-26, 2005.

- Nawa, K., Suda, N., Fukao, Y., Sato, T., Tamura, Y., Shibuya, K., McQueen, H., Virtanen, H., and Kaariainen, J. (2000). Incessant excitation of the Earth's free oscillations: global comparison of superconducting gravimeter records. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 120(4):289–297.
- Nawa, K., Suda, N., Satake, K., Fujii, Y., Sato, T., Doi, K., Kanao, M., and Shibuya, K. (2007b). Loading and gravitational effects of the 2004 Indian Ocean tsunami at Syowa Station, Antarctica. *BULLETIN OF THE SEISMOLOGICAL SOCIETY OF AMERICA*, 97(1, A, S):S271–S278.
- Nawa, K., Suda, N., Yamada, I., Miyajima, R., and Okubo, S. (2009). Coseismic change and precipitation effect in temporal gravity variation at Inuyama, Japan: A case of the 2004 off the Kii peninsula earthquakes observed with a superconducting gravimeter. *JOURNAL OF GEODYNAMICS*, 48(1):1–5.
- Neumeyer, J., Barthelmes, F., Dierks, O., Flechtner, F., Harnisch, M., Harnisch, G., Hinderer, J., Imanishi, Y., Kroner, C., Meurers, B., Petrovic, S., Reigber, C., Schmidt, R., Schwintzer, P., Sun, H.-P., and Virtanen, H. (2006a). Combination of temporal gravity variations resulting from superconducting gravimeter (SG) recordings, GRACE satellite observations and global hydrology models. *JOURNAL OF GEODESY*, 79(10-11):573–585.
- Neumeyer, J., Barthelmes, F., Dierks, O., Pflug, H., and Fourie, P. (2006b). High precision gravity measurements with the dual sphere superconducting gravimeter in Sutherland (South Africa). *SOUTH AFRICAN JOURNAL OF GEOLOGY*, 109(4):515–520.
- Neumeyer, J., Barthelmes, F., Kroner, C., Petrovic, S., Schmidt, R., Virtanen, H., and Wilmes, H. (2008). Analysis of gravity field variations derived from Superconducting Gravimeter recordings, the GRACE satellite and hydrological models at selected European sites. *EARTH PLANETS AND SPACE*, 60(5):505–518.
- Neumeyer, J., del Pino, J., Dierks, O., Sun, H.-P., and Pflug, H. (2005a). Improvement of ocean loading correction on gravity data with additional tide gauge measurements. *JOURNAL OF GEODYNAMICS*, 40(1):104–111.
- Neumeyer, J., Schmidt, T., and Stoeber, C. (2007). Improved determination of the atmospheric attraction with 3D air density data and its reduction on ground gravity measurements. In Tregoning, P. and Rizos, C., editor, *DYNAMIC PLANET: MONITORING AND UNDERSTANDING A DYNAMIC PLANET WITH GEODETIC AND OCEANOGRAPHIC TOOLS*, volume 130 of *International Association of Geodesy Symposia*, pages 541+. IAG. IAG Symposium on Dynamic Planet, Cairns, AUSTRALIA, AUG 22-26, 2005.
- Neumeyer, J., Schwintzer, P., Barthelmes, F., Dierkes, O., Imanishi, Y., Kroner, C., Meurers, B., Sun, H.-P., and Virtanen, H. (2005b). Comparison of superconducting gravimeter and CHAMP satellite derived temporal gravity variations. In Reigber, C. and Luhr, H. and Schwintzer, P. and Wickert, J., editor, *EARTH OBSERVATION WITH CHAMP: RESULTS FROM THREE YEARS ORBIT*, pages 31–36. BMBF; German Aerosp Ctr. 2nd CHAMP Science Meeting, GFZ Potsdam, Potsdam, GERMANY, SEP 01-04, 2003.
- Nicolas, J., Nocquet, J.-M., Van Camp, M., van Dam, T., Boy, J.-P., Hinderer, J., Gegout, P., Calais, E., and Amalvict, M. (2006). Seasonal effect on vertical positioning by satellite laser ranging and

- global positioning system and on absolute gravity at the OCA geodetic station, grasse, france. *GEO-PHYSICAL JOURNAL INTERNATIONAL*, 167(3):1127–1137.
- Omang, O. C. D. and Kierulf, H. P. (2011). Past and present-day ice mass variation on Svalbard revealed by superconducting gravimeter and GPS measurements. *GEOPHYSICAL RESEARCH LETTERS*, 38.
- Omerbashich, M. (2007). Magnification of mantle resonance as a cause of tectonics. *GEODINAMICA ACTA*, 20(6):369–383.
- Pagiatakis, S. D., Yin, H., and Abd El-Gelil, M. (2007). Least-squares self-coherency analysis of superconducting gravimeter records in search for the Slichter triplet. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 160(2):108–123.
- Papp, G., Szucs, E., and Battha, L. (2012). Preliminary analysis of the connection between ocean dynamics and the noise of gravity tide observed at the Sopronbanfalva Geodynamical Observatory, Hungary. *JOURNAL OF GEODYNAMICS*, 61:47–56.
- Park, J., Song, T. R. A., Tromp, J., Okal, E., Stein, S., Roult, G., Clevede, E., Laske, G., Kanamori, H., Davis, P., Berger, J., Braitenberg, C., Van Camp, M., Lei, X., Sun, H.-P., Xu, H. Z., and Rosat, S. (2005). Earth’s free oscillations excited by the 26 December 2004 Sumatra-Andaman earthquake. *SCIENCE*, 308(5725):1139–1144.
- Pfeffer, J., Boucher, M., Hinderer, J., Favreau, G., Boy, J.-P., de Linage, C., Cappelaere, B., Luck, B., Oi, M., and Le Moigne, N. (2011). Local and global hydrological contributions to time-variable gravity in Southwest Niger. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 184(2):661–672.
- Pfeffer, J., Champollion, C., Favreau, G., Cappelaere, B., Hinderer, J., Boucher, M., Nazoumou, Y., Oi, M., Mouyen, M., Henri, C., Le Moigne, N., Deroussi, S., Demarty, J., Boulain, N., Benarrosh, N., and Robert, O. (2013). Evaluating surface and subsurface water storage variations at small time and space scales from relative gravity measurements in semiarid Niger. *WATER RESOURCES RESEARCH*, 49(6):3276–3291.
- Poutanen, M., Jokela, J., Ollikainen, M., Koivula, H., Bilker, M., and Virtanen, H. (2005). Scale variation of GPS time series. In Sanso, F, editor, *WINDOW ON THE FUTURE OF GEODESY*, volume 128 of *International Association of Geodesy Symposia*, pages 15–20. Int Assoc Geodesy. General Assembly of the International-Association-of-Geodesy, Sapporo, JAPAN, JUN 30-JUL 11, 2003.
- Riccardi, U., Berrino, G., and Corrado, G. (2002). Changes in instrumental sensitivity of some feedback systems used in LaCoste-Romberg gravimeters. *METROLOGIA*, 39(5):509–515. 6th International Comparison of Absolute Gravimeters Conference (ICAG-2001), BUREAU INT POIDS MESURES, SEVRES, FRANCE, JUN 05-AUG 28, 2001.
- Riccardi, U., Hinderer, J., and Boy, J.-P. (2007). On the efficiency of barometric arrays to improve the reduction of atmospheric effects on gravity data. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 161(3-4):224–242.
- Riccardi, U., Hinderer, J., Boy, J. P., and Rogister, Y. (2009). Tilt effects on GWR superconducting gravimeters. *JOURNAL OF GEODYNAMICS*, 48(3-5):316–324. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.

- Riccardi, U., Rosat, S., and Hinderer, J. (2011). Comparison of the Micro-g LaCoste gPhone-054 spring gravimeter and the GWR-C026 superconducting gravimeter in Strasbourg (France) using a 300-day time series. *METROLOGIA*, 48(1):28–39.
- Riccardi, U., Rosat, S., and Hinderer, J. (2012). On the Accuracy of the Calibration of Superconducting Gravimeters Using Absolute and Spring Sensors: a Critical Comparison. *PURE AND APPLIED GEOPHYSICS*, 169(8):1343–1356.
- Rieutord, M. (2002). Slichter modes of the Earth revisited. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 131(3-4):269–278.
- Register, Y., Memin, A., Rosat, S., Hinderer, J., and Calvo, M. (2016). Constraints provided by ground gravity observations on geocentre motions. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 206(2):1431–1439.
- Rosat, S. (2007). Optimal seismic source mechanisms to excite the Slichter mode. In Tregoning, P. and Rizos, C., editor, *DYNAMIC PLANET: MONITORING AND UNDERSTANDING A DYNAMIC PLANET WITH GEODETIC AND OCEANOGRAPHIC TOOLS*, volume 130 of *INTERNATIONAL ASSOCIATION OF GEODESY SYMPOSIA*, pages 571–577. IAG. IAG Symposium on Dynamic Planet, Cairns, AUSTRALIA, AUG 22-26, 2005.
- Rosat, S., Boy, J. P., Ferhat, G., Hinderer, J., Amalvict, M., Gegout, P., and Luck, B. (2009a). Analysis of a 10-year (1997-2007) record of time-varying gravity in Strasbourg using absolute and superconducting gravimeters: New results on the calibration and comparison with GPS height changes and hydrology. *JOURNAL OF GEODYNAMICS*, 48(3-5, SI):360–365. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Rosat, S., Boy, J.-P., and Register, Y. (2014). Surface atmospheric pressure excitation of the translational mode of the inner core. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 227:55–60.
- Rosat, S., Calvo, M., Hinderer, J., Riccardi, U., Arnosó, J., and Zuern, W. (2015). Comparison of the performances of different spring and superconducting gravimeters and STS-2 seismometer at the Gravimetric Observatory of Strasbourg, France. *STUDIA GEOPHYSICA ET GEODAETICA*, 59(1):58–82.
- Rosat, S., Florsch, N., Hinderer, J., and Llubes, M. (2009b). Estimation of the Free Core Nutation parameters from SG data: Sensitivity study and comparative analysis using linearized least-squares and Bayesian methods. *JOURNAL OF GEODYNAMICS*, 48(3-5):331–339. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Rosat, S., Fukushima, T., Sato, T., and Tamura, Y. (2008). Application of a non-linear damped harmonic analysis method to the normal modes of the Earth. *JOURNAL OF GEODYNAMICS*, 45(1):63–71.
- Rosat, S. and Hinderer, J. (2011). Noise Levels of Superconducting Gravimeters: Updated Comparison and Time Stability. *BULLETIN OF THE SEISMOLOGICAL SOCIETY OF AMERICA*, 101(3):1233–1241.
- Rosat, S., Hinderer, J., Boy, J.-P., Littel, F., Boyer, D., Bernard, J.-D., Register, Y., Memin, A., and Gaffet, S. (2016). First analyses of the iOSG-type superconducting gravimeter at the low noise underground laboratory (LSBB URL) of Rustrel, France. In Coulie, K and Micolau, G and Febvre,

P, editor, *I-DUST 2016 - INTER-DISCIPLINARY UNDERGROUND SCIENCE & TECHNOLOGY*, volume 12 of *E3S Web of Conferences*. 6th International Conference on Inter-Disciplinary Underground Science and Technology ((-DUST), Avignon, FRANCE, JUN 01-03, 2016.

- Rosat, S., Hinderer, J., Crossley, D., and Boy, J.-P. (2004). Performance of superconducting gravimeters from long-period seismology to tides. *JOURNAL OF GEODYNAMICS*, 38(3-5):461–476.
- Rosat, S., Hinderer, J., Crossley, D., and Rivera, L. (2003). The search for the Slichter mode: comparison of noise levels of superconducting gravimeters and investigation of a stacking method. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 140(1-3):183–202. Meeting of the Geophysical and Geochemical Evolution of the Deep Earth, TAHOE CITY, CALIFORNIA, JUL 22-26, 2002.
- Rosat, S. and Lambert, S. B. (2009). Free core nutation resonance parameters from VLBI and superconducting gravimeter data. *ASTRONOMY & ASTROPHYSICS*, 503(1):287–291.
- Rosat, S., Lambert, S. B., Gattano, C., and Calvo, M. (2017). Earth’s core and inner-core resonances from analysis of VLBI nutation and superconducting gravimeter data. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 208(1):211–220.
- Rosat, S. and Rogister, Y. (2012). Excitation of the Slichter mode by collision with a meteoroid or pressure variations at the surface and core boundaries. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 190:25–33.
- Rosat, S., Rogister, Y., Crossley, D., and Hinderer, J. (2006). A search for the Slichter triplet with superconducting gravimeters: Impact of the density jump at the inner core boundary. *JOURNAL OF GEODYNAMICS*, 41(1-3):296–306. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Rosat, S., Sailhac, P., and Gegout, P. (2007a). A wavelet-based detection and characterization of damped transient waves occurring in geophysical time-series: theory and application to the search for the translational oscillations of the inner core. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 171(1):55–70.
- Rosat, S., Sato, T., Imanishi, Y., Hinderer, J., Tamura, Y., McQueen, H., and Ohashi, M. (2005). High-resolution analysis of the gravest seismic normal modes after the 2004 M-w=9 Sumatra earthquake using superconducting gravimeter data. *GEOPHYSICAL RESEARCH LETTERS*, 32(13).
- Rosat, S., Sato, T., Imanishi, Y., Hinderer, J., Tamura, Y., McQueen, H., and Ohashi, M. (2012). High-resolution analysis of the gravest seismic normal modes after the 2004 M-w = 9 Sumatra earthquake using superconducting gravimeter data (vol 32, L13304, 2005). *GEOPHYSICAL RESEARCH LETTERS*, 39.
- Rosat, S., Watada, S., and Sato, T. (2007b). Geographical variations of the S-00 normal mode amplitude: predictions and observations after the Sumatra-Andaman earthquake. *EARTH PLANETS AND SPACE*, 59(4):307–311.
- Roult, G., Roch, J., and Clevede, E. (2010). Observation of split modes from the 26th December 2004 Sumatra-Andaman mega-event. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 179(1-2):45–59.
- Roult, G., Rosat, S., Clevede, E., Millot-Langet, R., and Hinderer, J. (2006). New determinations of Q quality factors and eigenfrequencies for the whole set of singlets of the Earth’s normal modes S-0(0), S-0(2), S-0(3) and S-2(1) using superconducting gravimeter data from the GGP network.

- JOURNAL OF GEODYNAMICS*, 41(1-3):345–357. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Ruotsalainen, H. (2001). Modernizing the finnish long water-tube tiltmeter. *Journal of the Geodetic Society of Japan*, 47(1):28–33.
- Ruotsalainen, H. (2017). Interferometric water level tilt meter development in finland and comparison with combined earth tide and ocean loading models. *Pure and Applied Geophysics*, pages 1–9.
- Ruotsalainen, H. and Nordman, M. and Virtanen, J. and Virtanen, H. (2015). Ocean tide, Baltic Sea and atmospheric loading model tilt comparisons with interferometric geodynamic tilt observation - case study at Lohja2 geodynamic station, southern Finland. *JOURNAL OF GEODETIC SCIENCE*, 5(1).
- Sainz-Maza Aparicio, S., Arnosó Sampedro, J., Gonzalez Montesinos, F., and MartíMolist, J. (2014). Volcanic signatures in time gravity variations during the volcanic unrest on el hierro (canary islands). *Journal of Geophysical Research: Solid Earth*, 119(6):5033–5051.
- Sato, T., Boy, J.-P., Tamura, Y., Matsumoto, K., Asari, K., Plag, H.-P., and Francis, O. (2006a). Gravity tide and seasonal gravity variation at Ny-Alesund, Svalbard in Arctic. *JOURNAL OF GEODYNAMICS*, 41(1-3):234–241. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Sato, T., Fukuda, Y., Aoyama, Y., McQueen, H., Shibuya, K., Tamura, Y., Asari, K., and Ooe, M. (2001). On the observed annual gravity variation and the effect of sea surface height variations. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 123(1):45–63.
- Sato, T., Okuno, J., Hinderer, J., MacMillan, D. S., Plag, H.-P., Francis, O., Falk, R., and Fukuda, Y. (2006b). A geophysical interpretation of the secular displacement and gravity rates observed at Ny-Alesund, Svalbard in the Arctic - effects of post-glacial rebound and present-day ice melting. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 165(3):729–743.
- Sekowski, M. and Dykowski, P. and Kryski, J. (2016). New iGrav superconducting gravimeter station in Central Europe at the Borowa Gora GeodeticGeophysical Observatory. *Geoinformation Issues*, 8:517.
- Shao, L. and Wex, N. (2013). New limits on the violation of local position invariance of gravity. *CLASSICAL AND QUANTUM GRAVITY*, 30(16).
- Shen, W. and Luan, W. (2015). Feasibility analysis of searching for the Slichter triplet in superconducting gravimeter records. *GEODESY AND GEODYNAMICS*, 6(5):307–315.
- Shen, W., Wang, D., and Hwang, C. (2011). Anomalous signals prior to Wenchuan earthquake detected by superconducting gravimeter and broadband seismometers records. *JOURNAL OF EARTH SCIENCE*, 22(5):640–651.
- Shen, W. B. and Ding, H. (2013). Detection of the Inner Core Translational Triplet Using Superconducting Gravimetric Observations. *JOURNAL OF EARTH SCIENCE*, 24(5):725–735.
- Shen, W.-B. and Ding, H. (2014). Observation of spheroidal normal mode multiplets below 1 mHz using ensemble empirical mode decomposition. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 196(3):1631–1642.

- Shen, W.-B. and Wu, B. (2012). A case study of detecting the triplet of 3S1 using superconducting gravimeter records with an alternative data preprocessing technique. *ANNALS OF GEOPHYSICS*, 55(2):293–300.
- Shimizu, H., Hiramatsu, Y., and Kawasaki, I. (2015). Search for latitudinal variation of spectral peak frequencies of low-frequency eigenmodes excited by great earthquakes. *POLAR SCIENCE*, 9(1):17–25.
- Shiomi, S. (2006). Geophysical test of the universality of free-fall. *PHYSICAL REVIEW D*, 74(2).
- Shiomi, S. (2008). Testing gravitational physics with superconducting gravimeters. *PROGRESS OF THEORETICAL PHYSICS SUPPLEMENT*, 172:61–70. 8th Asia-Pacific International Conference on Gravitation and Astrophysics, Nara Women Univ, Nara, JAPAN, AUG 29-SEP 01, 2007.
- Sleeman, R., van Wettum, A., and Trampert, J. (2006). Three-channel correlation analysis: A new technique to measure instrumental noise of digitizers and seismic sensors. *BULLETIN OF THE SEISMOLOGICAL SOCIETY OF AMERICA*, 96(1):258–271.
- Spiridonov, E. A. (2016a). How Dissipation and Selection of the Earth Model on the Quality of the Earth Tidal Prediction. *SEISMIC INSTRUMENTS*, 52(3):224–232.
- Spiridonov, E. A. (2016b). Latitude dependence of amplitude factor delta for degree 2 tides. *RUSSIAN GEOLOGY AND GEOPHYSICS*, 57(4):629–636.
- Spiridonov, E. A. (2016c). Results of Comparison of Predicted Earth Tidal Parameters and Observational Data. *SEISMIC INSTRUMENTS*, 52(1):60–69.
- Steffen, H., Kuhlmann, S., Jahr, T., and Kroner, C. (2006). Numerical modelling of the barometric pressure-induced noise in horizontal components for the observatories Moxa and Schiltach. *JOURNAL OF GEODYNAMICS*, 41(1-3):242–252. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Sugihara, M., Nawa, K., Nishi, Y., Ishido, T., and Soma, N. (2013). Continuous gravity monitoring for CO₂ geo-sequestration. In Dixon, T and Yamaji, K, editor, *GHGT-11*, volume 37 of *Energy Procedia*, pages 4302–4309. International Conference on Greenhouse Gas Technologies (GHGT), Kyoto, JAPAN, NOV 18-22, 2012.
- Sugihara, M., Nawa, K., Soma, N., Ishido, T., Miyakawa, A., and Nishi, Y. (2014). Continuous gravity monitoring for CO₂ geo-sequestration (2) a case study at the Farnsworth CO₂-EOR field. In Dixon, T. and Herzog, H. and Twining, S., editor, *12TH INTERNATIONAL CONFERENCE ON GREENHOUSE GAS CONTROL TECHNOLOGIES, GHGT-12*, volume 63 of *Energy Procedia*, pages 4404–4410. 12th International Conference on Greenhouse Gas Control Technologies (GHGT), Austin, TX, OCT 05-09, 2014.
- Sun, H.-P., Cui, X.-M., Xu, J.-Q., Ducarme, B., Liu, M.-B., and Zhou, J.-C. (2009). Preliminary application of superconductive gravity technique on the investigation of viscosity at core-mantle boundary. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 52(3):637–645.
- Sun, H. P., Ducarme, B., Xu, H. Z., Vandercoilden, L., Xu, J. Q., and Zhou, J. C. (2005a). Adaptability of the ocean and earth tidal models based on global observations of the superconducting gravimeters. *SCIENCE IN CHINA SERIES D-EARTH SCIENCES*, 48(11):1859–1869.
- Sun, H.-P., Hsu, H., Chen, W., Chen, X. D., Zhou, J. C., Liu, M., and Gao, S. (2006a). Study of Earth's gravity tide and oceanic loading characteristics in Hong Kong area. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 49(3):724–734.

- Sun, H.-P., Hsu, H. T., Jentzsch, G., and Xu, J. Q. (2002). Tidal gravity observations obtained with a superconducting gravimeter at Wuhan/China and its application to geodynamics. *JOURNAL OF GEODYNAMICS*, 33(1-2):187–198. JSA 37th Earths Gravity and Magnetic Fields from Space Conference (IUGG99), BIRMINGHAM, ENGLAND, 1999.
- Sun, H.-P., Hsu, H. Z., Zhou, J. C., Chen, X. D., Xu, J. Q., Zhou, B. L., Hao, X. H., and Liu, M. (2005b). Latest observation results from superconducting gravimeter at station Wuhan and investigation of the ocean tide models. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 48(2):299–307.
- Sun, H.-P., Takemoto, S., Hsu, H. T., Higashi, T., and Mukai, A. (2001). Precise tidal gravity recorded with superconducting gravimeters at stations Wuhan (China) and Kyoto (Japan). *JOURNAL OF GEODESY*, 74(10):720–729.
- Sun, H.-P., Xu, J. Q., Chen, X., Zhou, J., and Lei, X. (2013). Results of Gravity Observations Using a Superconducting Gravimeter at the Tibetan Plateau. *TERRESTRIAL ATMOSPHERIC AND OCEANIC SCIENCES*, 24(4, 1, SI):541–550.
- Sun, H.-P., Zheng, D. W., Ding, X. L., Chen, W., and Chen, X. D. (2006b). Detection of the special gravity signals in sub-tidal band by using wavelet technique. *CHINESE SCIENCE BULLETIN*, 51(6):713–722.
- Tamura, Y., Sato, T., Fukuda, Y., and Higashi, T. (2005). Scale factor calibration of a superconducting gravimeter at Esashi Station, Japan, using absolute gravity measurements. *JOURNAL OF GEODESY*, 78(7-8):481–488.
- Tanaka, T., Miyajima, R., Asai, H., Horiuchi, Y., Kumada, K., Asai, Y., and Ishii, H. (2013). Hydrological gravity response detection using a gPhone below- and aboveground. *EARTH PLANETS AND SPACE*, 65(2):59–66.
- Tanaka, Y., Kato, A., Sugano, T., Fu, G., Zhang, X., Furuya, M., Sun, W., Okubo, S., Matsumoto, S., Honda, M., Sugawara, Y., Ueda, I., Kusaka, M., and Ishihara, M. (2010). Gravity changes observed between 2004 and 2009 near the Tokai slow-slip area and prospects for detecting fluid flow during future slow-slip events. *EARTH PLANETS AND SPACE*, 62(12):905–913.
- Tsutomu, Y., Koichiro, D., and Kazuo, S. (2010). Combined use of InSAR and GLAS data to produce an accurate DEM of the Antarctic ice sheet: Example from the Breivika-Asuka station area. *POLAR SCIENCE*, 4(1):1–17.
- Valko, M. and Palinkas, V. (2015). SGNoise - a tool for the ambient noise level analysis at superconducting gravimeter stations. *STUDIA GEOPHYSICA ET GEODAETICA*, 59(2):188–199.
- Van Camp, M., Camelbeeck, T., and Francis, O. (2002). Experiment to evaluate crustal motions across the Ardenne and the Roer Graben (north-western Europe) using absolute gravity measurements. *METROLOGIA*, 39(5):503–508. 6th International Comparison of Absolute Gravimeters Conference (ICAG-2001), BUREAU INT POIDS MESURES, SEVRES, FRANCE, JUN 05-AUG 28, 2001.
- Van Camp, M., de Viron, O., Metivier, L., Meurers, B., and Francis, O. (2014a). Reply to the Comment By Crossley et al. on: ‘The quest for a consistent signal in ground and GRACE gravity time series’. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 199(3):1818–1822.
- Van Camp, M., de Viron, O., Metivier, L., Meurers, B., and Francis, O. (2014b). The quest for a consistent signal in ground and GRACE gravity time-series. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 197(1):192–201.

- Van Camp, M., de Viron, O., Pajot-Metivier, G., Casenave, F., Watlet, A., Dassargues, A., and Vanclooster, M. (2016a). Direct measurement of evapotranspiration from a forest using a superconducting gravimeter. *GEOPHYSICAL RESEARCH LETTERS*, 43(19):10225–10231.
- Van Camp, M., de Viron, O., and Warburton, R. J. (2013). Improving the determination of the gravity rate of change by combining superconducting with absolute gravimeter data. *COMPUTERS & GEOSCIENCES*, 51:49–55.
- Van Camp, M. and Francis, O. (2007). Is the instrumental drift of superconducting gravimeters a linear or exponential function of time? *JOURNAL OF GEODESY*, 81(5):337–344.
- Van Camp, M., Metivier, L., de Viron, O., Meurers, B., and Williams, S. D. P. (2010). Characterizing long-time scale hydrological effects on gravity for improved distinction of tectonic signals. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 115.
- Van Camp, M., Meurers, B., de Viron, O., and Forbriger, T. (2016b). Optimized strategy for the calibration of superconducting gravimeters at the one per mille level. *JOURNAL OF GEODESY*, 90(1):91–99.
- Van Camp, M., Steim, J., Rapagnani, G., and Rivera, L. (2008). Connecting a Quanterra Data Logger Q330 on the GWR C021 Superconducting Gravimeter. *SEISMOLOGICAL RESEARCH LETTERS*, 79(6):785–796.
- Van Camp, M., Vanclooster, M., Crommen, O., Petermans, T., Verbeeck, K., Meurers, B., van Dam, T., and Dassargues, A. (2006). Hydrogeological investigations at the Membach station, Belgium, and application to correct long periodic gravity variations. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 111(B10).
- Van Camp, M., Wenzel, H.-G., Schott, P., Vauterin, P., and Francis, O. (2000). Accurate transfer function determination for superconducting gravimeters. *GEOPHYSICAL RESEARCH LETTERS*, 27(1):37–40.
- Van Camp, M., Williams, S. D. P., and Francis, O. (2005). Uncertainty of absolute gravity measurements. *JOURNAL OF GEOPHYSICAL RESEARCH-SOLID EARTH*, 110(B5).
- Venedikov, A., Arnosó, J., Cai, W., Vieira, R., Tan, S., and Velez, E. (2006). Separation of the long-term thermal effects from the strain measurements in the geodynamics laboratory of lanzarote. *Journal of Geodynamics*, 41(1-3):213–220.
- Venedikov, A., Arnosó, J., and Vieira, R. (2003). Vav: A program for tidal data processing. *Computers and Geosciences*, 29(4):487–502.
- Venedikov, A., Arnosó, J., and Vieira, R. (2005). New version of program vav for tidal data processing. *Computers and Geosciences*, 31(5):667–669.
- Vinogradova, O. Y. and Spiridonov, E. A. (2013). Comparison of two methods for calculating tidal loads. *IZVESTIYA-PHYSICS OF THE SOLID EARTH*, 49(1):83–92.
- W.-B., S. and W., L. (2016). Detection of the Slichter mode triplet using superconducting gravimetric observations. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 59(3):840–851.
- Wang, H.-S., Jia, L.-L., Wu, P., and Hu, B. (2010). Effects of global glacial isostatic adjustment on the secular changes of gravity and sea level in East Asia. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 53(11):2590–2602.

- Wang, L., Chen, C., Du, J., and Liang, Q. (2015). Noise Reduction, Atmospheric Pressure Admittance Estimation and Long-Period Component Extraction in Time-Varying Gravity Signals Using Ensemble Empirical Mode Decomposition. *TERRESTRIAL ATMOSPHERIC AND OCEANIC SCIENCES*, 26(2, 1):111–120.
- Wang, L., Chen, C., Zou, R., and Du, J. (2014). Surface gravity and deformation effects of water storage changes in China's Three Gorges Reservoir constrained by modeled results and in situ measurements. *JOURNAL OF APPLIED GEOPHYSICS*, 108:25–34.
- Wei, J., Li, H., Liu, Z.-W., Kang, K.-X., and Hao, H.-T. (2012). Observation of superconducting gravimeter at Jiufeng seismic station. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 55(6):1894–1902.
- Wei, J., Shen, W., Li, H., and Liu, Z. (2016). Nonlinear drift of the spring gravimeter caused by air pressure from the Kunmin GS15 gravimeters. *POLISH MARITIME RESEARCH*, 23(1):180–186.
- Weise, A., Kroner, C., Abe, M., Creutzfeldt, B., Foerste, C., Guentner, A., Ihde, J., Jahr, T., Jentzsch, G., Wilmes, H., Wziontek, H., and Petrovic, S. (2012). Tackling mass redistribution phenomena by time-dependent GRACE- and terrestrial gravity observations. *JOURNAL OF GEODYNAMICS*, 59-60(SI):82–91.
- Weise, A., Kroner, C., Abe, M., Ihde, J., Jentzsch, G., Naujoks, M., Wilmes, H., and Wziontek, H. (2009). Gravity field variations from superconducting gravimeters for GRACE validation. *JOURNAL OF GEODYNAMICS*, 48(3-5, SI):325–330. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Wen, W., Tang, K.-Y., Wang, Q.-S., Gao, Y.-W., and Hua, C. C. (2013). To discriminate the gravity anomaly by the subtle gravity observation of the total solar eclipse in 2009. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 56(3):770–782.
- Wilmes, H., Boer, A., Richter, B., Harnisch, M., Harnisch, G., Hase, H., and Engelhard, G. (2006). A new data series observed with the remote superconducting gravimeter GWR R038 at the geodetic fundamental station TIGO in Concepcion (Chile). *JOURNAL OF GEODYNAMICS*, 41(1-3):5–13. 15th International Symposium on Earth Tides, Ottawa, CANADA, AUG 02-06, 2004.
- Wilmes, H., Wziontek, H., Falk, R., and Bonvalot, S. (2009). AGrav-The New International Absolute Gravity Database of BGI and BKG and its benefit for the Global Geodynamics Project (GGP). *JOURNAL OF GEODYNAMICS*, 48(3-5):305–309. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Wilson, C. R., Scanlon, B., Sharp, J., Longuevergne, L., and Wu, H. (2012a). Field Test of the Superconducting Gravimeter as a Hydrologic Sensor. *GROUND WATER*, 50(3):442–449.
- Wilson, C. R., Wu, H., Longuevergne, L., Scanlon, B., and Sharp, J. (2012b). The Superconducting Gravimeter as a Field Instrument Applied to Hydrology. In Kenyon, S. C. and Pacino, M. C. and Marti, U. J., editor, *GEODESY FOR PLANET EARTH: PROCEEDINGS OF THE 2009 IAG SYMPOSIUM*, volume 136 of *International Association of Geodesy Symposia*, pages 291–295. Int Assoc Geodesy (IAG). Scientific Assembly of the International-Association-of-Geodesy (IAG) - Geodesy for Planet Earth, Buenos Aires, ARGENTINA, AUG 31-SEP 04, 2009.
- Wziontek, H., Falk, R., Wilmes, H., and Wolf, P. (2009a). Precise Gravity Time Series and Instrumental Properties from Combination of Superconducting and Absolute Gravity Measurements. In Sideris, M. G., editor, *OBSERVING OUR CHANGING EARTH*, volume 133 of *INTERNATIONAL*

ASSOCIATION OF GEODESY SYMPOSIA, pages 301–306. Int Assoc Geodesy; Int Union Geodesy & Geophys. General Assembly of the International-Association-of-Geodesy/24th General Assembly of the International-Union-of-Geodesy-and-Geophysics, Perugia, ITALY, JUL 02-13, 2007.

- Wziontek, H., Wilmes, H., Wolf, P., Werth, S., and Guentner, A. (2009b). Time series of superconducting gravimeters and water storage variations from the global hydrology model WGHM. *JOURNAL OF GEODYNAMICS*, 48(3-5, SI):166–171. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Xu, H.-J., Liu, L.-T., Hsu, H.-Z., Sun, H.-P., and Hu, X.-G. (2008a). Wavelet approach to study the secular gravity variation. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 51(3):735–742.
- Xu, H. Z., Sun, H.-P., Xu, J. Q., and Tao, G. X. (2000). International tidal gravity reference values at Wuhan station. *SCIENCE IN CHINA SERIES D-EARTH SCIENCES*, 43(1):77–83.
- Xu, J. Q., Chen, X. D., Zhou, J. C., and Sun, H.-P. (2012). Characteristics of tidal gravity changes in Lhasa, Tibet, China. *CHINESE SCIENCE BULLETIN*, 57(20):2586–2594.
- Xu, J. Q., Sun, H.-P., and Ducarme, B. (2004a). A global experimental model for gravity tides of the Earth. *JOURNAL OF GEODYNAMICS*, 38(3-5):293–306.
- Xu, J. Q., Sun, H.-P., and Fu, R. S. (2005). Detection of long-period core modes by using the data from global superconducting gravimeters. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 48(1):69–77.
- Xu, J. Q., Sun, H.-P., and Luo, S. C. (2002). Study of the Earth’s free core nutation by tidal gravity data recorded with international superconducting gravimeters. *SCIENCE IN CHINA SERIES D-EARTH SCIENCES*, 45(4):337–347.
- Xu, J. Q., Sun, H.-P., and Yang, X. F. (2004b). A study of gravity variations caused by polar motion using superconducting gravimeter data from the GGP network. *JOURNAL OF GEODESY*, 78(3):201–209.
- Xu, J. Q., Sun, H.-P., and Zhou, J. C. (2010). Experimental detection of the inner core translational triplet. *CHINESE SCIENCE BULLETIN*, 55(3):276–283.
- Xu, J.-Q., Zhou, J.-C., Chen, X.-D., and Sun, H.-P. (2014). Long-term observations of gravity tides from a superconducting gravimeter at Wuhan. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 57(10):3091–3102.
- Xu, J. Q., Zhou, J. C., Luo, S. C., and Sun, H.-P. (2008b). Study on characteristics of long-term gravity changes at Wuhan station. *CHINESE SCIENCE BULLETIN*, 53(13):2033–2040.
- Xu, J. W., Hu, X. N., Wang, H., Gou, C. C., Zhou, J. B., and Wang, H. (2015). Analysis of Electromagnetic Properties of Superconducting Suspension System for Gravity Measurement. In *2015 IEEE International Conference on Applied Superconductivity and Electromagnetic Devices (ASEMD)*, pages 414–415. IEEE (Beijing Section); Tianjin Univ; Shanghai Unive. IEEE International Conference on Applied Superconductivity and Electromagnetic Devices (ASEMD), Shanghai, PEOPLES R CHINA, NOV 20-23, 2015.
- Xu, Y., Crossley, D., and Herrmann, R. B. (2008c). Amplitude and Q of 0S0 from the Sumatra Earthquake as Recorded on Superconducting Gravimeters and Seismometers. *SEISMOLOGICAL RESEARCH LETTERS*, 79(6):797–805.

- Zabranova, E. and Matyska, C. (2014). Low-frequency centroid-moment-tensor inversion from superconducting-gravimeter data: The effect of seismic attenuation. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 235:25–32.
- Zabranova, E. and Matyska, C. (2016). Low-Frequency Centroid Moment Tensor Inversion of the 2015 Illapel Earthquake from Superconducting-Gravimeter Data. *PURE AND APPLIED GEOPHYSICS*, 173(4):1021–1027.
- Zabranova, E. and Matyska, C. (2017). Inversion of the moment-tensor Mrr components of the 2012 Sumatra strike-slip double earthquake using radial normal modes. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 262:1–7.
- Zabranova, E., Matyska, C., and Hanyk, L. (2012a). Tests of the 2011 Tohoku earthquake source models using free-oscillation data from GOPE. *STUDIA GEOPHYSICA ET GEODAETICA*, 56(2):585–594.
- Zabranova, E., Matyska, C., Hanyk, L., and Palinkas, V. (2012b). Constraints on the centroid moment tensors of the 2010 Maule and 2011 Tohoku earthquakes from radial modes. *GEOPHYSICAL RESEARCH LETTERS*, 39.
- Zahran, K. H., Jentzsch, G., and Seeber, G. (2006). Accuracy assessment of ocean tide loading computations for precise geodetic observations. *JOURNAL OF GEODYNAMICS*, 42(4-5):159–174.
- Zerbini, S., Raicich, F., Richter, B., Gorini, V., and Errico, M. (2010). Hydrological signals in height and gravity in northeastern Italy inferred from principal components analysis. *JOURNAL OF GEODYNAMICS*, 49(3-4, SI):190–204.
- Zerbini, S., Richter, B., Negusini, M., Romagnoli, C., Simon, D., Domenichini, F., and Schwahn, W. (2001). Height and gravity variations by continuous GPS, gravity and environmental parameter observations in the southern Po Plain, near Bologna, Italy. *EARTH AND PLANETARY SCIENCE LETTERS*, 192(3):267–279.
- Zhang, K. and Ma, J. (2014). Superconducting Gravimeters Detect Gravity Fluctuations Induced by Mw 5.7 Earthquake Along South Pacific Rise Few Hours Before the 2011 Mw 9.0 Tohoku-Oki Earthquake. *TERRESTRIAL ATMOSPHERIC AND OCEANIC SCIENCES*, 25(4):471–481.
- Zhang, K.-L., Ma, J., and Wei, D.-P. (2013). Detection of gravity anomalies before the 2011 Mw 9.0 Tohoku-Oki earthquake using superconducting gravimeters. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 56(7):2292–2302.
- Zhang, M., Xu, J., Sun, H.-P., Chen, X., and Zhou, J. (2016). OSG-057 Superconducting Gravimeter Noise Levels in Lhasa (China). *TERRESTRIAL ATMOSPHERIC AND OCEANIC SCIENCES*, 27(6):807–817.
- Zhou, J., Hwang, C., Sun, H.-P., Xu, J. Q., Zhang, W., Kao, R., and Cheng, T.-C. (2013). Precise determination of ocean tide loading gravity effect for absolute gravity stations in coastal area of China: Effects of land-sea boundary and station coordinate. *JOURNAL OF GEODYNAMICS*, 68:29–36.
- Zhou, J., Sun, H.-P., Xu, J., and Zhang, W. (2016). Estimation of local water storage change by space- and ground-based gravimetry. *JOURNAL OF APPLIED GEOPHYSICS*, 131:23–28.
- Zhou, J. C., Sun, H.-P., and Xu, J.-Q. (2009a). Validating global hydrological models by ground and space gravimetry. *CHINESE SCIENCE BULLETIN*, 54(9):1534–1542.
- Zhou, J.-C., Xu, J.-Q., and Sun, H.-P. (2009b). Accurate correction models for tidal gravity in Chinese continent. *CHINESE JOURNAL OF GEOPHYSICS-CHINESE EDITION*, 52(6):1474–1482.

- Ziegler, Y., Hinderer, J., Rogister, Y., and Rosat, S. (2016). Estimation of the gravimetric pole tide by stacking long time-series of GGP superconducting gravimeters. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 205(1):77–88.
- Zuern, W. and Meurers, B. (2009). Clear evidence for the sign-reversal of the pressure admittance to gravity near 3 mHz. *JOURNAL OF GEODYNAMICS*, 48(3-5, SI):371–377. 16th International Symposium on Earth Tides, Jena, GERMANY, SEP 01-05, 2008.
- Zuern, W. and Wielandt, E. (2007). On the minimum of vertical seismic noise near 3 mHz. *GEO-PHYSICAL JOURNAL INTERNATIONAL*, 168(2):647–658.