

2001

- [1] D. C. Agnew. Map projections to show the possible effects of surface loading. *Journal of the Geodetic Society of Japan*, 47(1):255–260, 2001.
- [2] M. Amalvict, J. Hinderer, J.-P. Boy, and P. Gegout. Three year comparison between a superconducting gravimeter (gwr c026) and an absolute gravimeter (fg5#206) in strasbourg (france). *Journal of the Geodetic Society of Japan*, 47(1):334–340, 2001. doi:10.11366/sokuchi1954.47.334.
- [3] J. Arnos, J. Fernandez, and R. Vieira. Interpretation of tidal gravity anomalies in lanzarote, canary islands. *Journal of Geodynamics*, 31(4):341–354, 2001. doi:10.1016/S0264-3707(01)00003-5.
- [4] P. Baldi, E. G. Campari, G. Casula, S. Focardi, and F. Palmonari. Testing newton’s inverse square law at intermediate scales. *PHYSICAL REVIEW D*, 64(8), OCT 2001. doi:10.1103/PhysRevD.64.082001.
- [5] J.-P. Boy, P. Gegout, and J. Hinderer. Gravity variations and global pressure loading. *Journal of the Geodetic Society of Japan*, 47(1):267–272, 2001. doi:10.11366/sokuchi1954.47.267.
- [6] H. J. Kumpel, K. Lehmann, M. Fabian, and G. Menten. Point stability at shallow depths: experience from tilt measurements in the lower rhine embayment, germany, and implications for high-resolution gps and gravity recordings. *GEOPHYSICAL JOURNAL INTERNATIONAL*, 146(3):699–713, SEP 2001. doi:10.1046/j.1365-246X.2001.00494.x.
- [7] L. Mansinha, B. Ducarme, J. Hinderer, B. Meurers, and M. van Ruymbekke. Search for the gravitational absorption effect using superconducting gravimeters during the eclipse of august 11, 1999. *Journal of the Geodetic Society of Japan*, 47(1):387–391, 2001. doi:10.11366/sokuchi1954.47.387.
- [8] B. Meurers. Superconducting gravimetry in geophysical research today. *Journal of the Geodetic Society of Japan*, 47(1):300–307, 2001. doi:10.11366/sokuchi1954.47.300.
- [9] B. Meurers. Tidal and non-tidal gravity variations in vienna - a five years’ sg record. *Journal of the Geodetic Society of Japan*, 47(1):392–397, 2001. doi:10.11366/sokuchi1954.47.392.
- [10] H. Ruotsalainen. Modernizing the finnish long water-tube tiltmeter. *Journal of the Geodetic Society of Japan*, 47(1):28–33, 2001. doi:10.11366/sokuchi1954.47.28.
- [11] T. Sato, Y. Fukuda, Y. Aoyama, H. McQueen, K. Shibuya, Y. Tamura, K. Asari, and M. Ooe. On the observed annual gravity variation and the effect of sea surface height variations. *PHYSICS OF THE EARTH AND PLANETARY INTERIORS*, 123(1):45–63, MAR 2001. doi:10.1016/S0031-9201(00)00216-8.
- [12] H.-P. Sun, S. Takemoto, H. T. Hsu, T. Higashi, and A. Mukai. Precise tidal gravity recorded with superconducting gravimeters at stations wuhan (china) and kyoto (japan). *JOURNAL OF GEODESY*, 74(10):720–729, FEB 2001. doi:10.1007/s001900000139.
- [13] S. Zerbini, B. Richter, M. Negusini, C. Romagnoli, D. Simon, F. Domenichini, and W. Schwahn. Height and gravity variations by continuous gps, gravity and environmental parameter observations in the southern po plain, near bologna, italy. *EARTH AND PLANETARY SCIENCE LETTERS*, 192(3):267–279, OCT 2001. doi:10.1016/S0012-821X(01)00445-9.